

Subject: Seq# 2: 452871 for PGESJO - Distribution

PGESJO 00071 USAN 10/29/14 09:29:37 0452871 NORMAL NOTICE

Message Number: 0452871 Received by USAN at 09:28 on 10/29/14 by JTH

Work Begins: 10/31/14 at 09:45 Notice: 020 hrs Priority: 2
Night Work: N Weekend Work: N

Expires: 11/26/14 at 23:59 Update By: 11/24/14 at 16:59

Caller: [REDACTED]
Company: CITY OF SAN JOSE
Address: 5090 WILLIAMS RD
City: SAN JOSE State: CA Zip: 95129
Business Tel: [REDACTED] Fax: [REDACTED]
Email Address: [REDACTED]

Nature of Work: BKHO TO REP SWR L
Done for: SAME Explosives: N
Foreman: [REDACTED]
Field Tel: [REDACTED] Cell Tel: [REDACTED]
Area Premarked: Y Premark Method: WHITE PAINT
Permit Type: NO
Vac / Pwr Equip Use In The Approx Location Of Member Facilities Requested: N Excavation Enters Into Street Or Sidewalk Area: Y

Location:
Street Address: [REDACTED] SCOTTSDALE [REDACTED]
Cross Street: [REDACTED] AVE

EXT 10' INTO PROP & 40' INTO ST

Place: SAN JOSE County: SANTA CLARA State: CA

Long/Lat Long: [REDACTED] Lat: [REDACTED] Long: [REDACTED] Lat: [REDACTED]

Sent to:
CTYSJO = CITY SAN JOSE COMSJO = COMCAST-SAN JOSE
PACBEL = PACIFIC BELL PGESJO = PGE DISTR SAN JOSE
SCLVLY = SANTA CLARA VALLEY WTR

Ticket History (All Times in Eastern Time):
10/29/2014 12:31:43 PM: Received
Details: Ticket received for registration code PGESJO

10/30/2014 12:13:19 PM: Positive Response to Excavator Queued
Details: Positive Response to Excavator queued for delivery

10/30/2014 12:15:22 PM: Positive Response to Excavator Delivered
Details: Positive Response to Excavator successfully sent to ██████████@SANJOSECA.GOV

Distribution

10/29/2014 12:31:43 PM: Put in Folder
Details: Put in Edenvale 1 by auto process
Notes: Auto Processed per Responsibility Area

10/29/2014 12:31:43 PM: Assigned
Details: Assigned to EDEN1 - by auto process
Notes: Assigned on folder placement

10/30/2014 12:13:17 PM: Attachment Added
Details: Attachment added by EDEN1 -

10/30/2014 12:13:17 PM: Attachment Added
Details: Attachment added by EDEN1 -

10/30/2014 12:13:18 PM: Attachment Added
Details: Attachment added by EDEN1 -

10/30/2014 12:13:18 PM: Attachment Added
Details: Attachment added by EDEN1 -

10/30/2014 12:13:18 PM: Attachment Added
Details: Attachment added by EDEN1 -

10/30/2014 12:13:18 PM: Attachment Added
Details: Attachment added by EDEN1 -

10/30/2014 12:13:18 PM: Responded
Details: .FACILITY MARKED: added by EDEN1 -, located by ██████████ Locate Time: {2014-10-30 12:09:00}, Units of Work: 2.00
Area Premarked? Yes
Un-Locatable? Yes
Heavy Equipment? No
Facility Types - GT: No
Facility Types - GD: Yes
Facility Types - ET: No
Facility Types - ED: Yes
Facility Types - FIBER: No
Time Arrived: 10/30/2014 8:33:00 AM
Time Departed: 10/30/2014 9:13:08 AM
Weather: dry; Surface: asphalt
Critical Facility? No
Conductive Type: Valve; Standby? No
Method Used: Conductive
Any Other Means? No

Notes: Marked primary electric.; Marked secondary electric. -; Marked gas main. qew assist on electric locate. could not get signal on primary hooking up to concentric and using clamp. maps show al is joint trench back o walk. notified contractor

EXCAVATOR POSITIVE RESPONSE NOTES:
weak and jumpy signal. electric primary was unlocateable. joint trench. pothole to verify pge facilities prior to excavating. hand dig only.

11/12/2014 5:24:33 PM: Ticket Queued
Details: Ticket queued for delivery to [REDACTED] Reason: Ticket Email Requested.

11/12/2014 5:24:37 PM: Ticket Delivered
Details: Ticket with 6 attachment(s) successfully sent to [REDACTED]

11/12/2014 5:27:44 PM: Ticket Queued
Details: Ticket queued for delivery to [REDACTED] Reason: Ticket Email Requested.

11/12/2014 5:27:48 PM: Ticket Delivered
Details: Ticket with 6 attachment(s) successfully sent to [REDACTED]

11/12/2014 5:28:40 PM: Ticket Queued
Details: Ticket queued for delivery to [REDACTED] Reason: Ticket Email Requested.