



Mon 1/7/2019 1:42 PM

Bauer, Troy A. [Redacted]

Canceled: Testing as per SED Directive for DOT #1169104

Required

Intably, Mahmoud; Epuna, Matthewson; Bruno, Kenneth; Hang, Nadia

Action Items

+ Get more add-ins

When Thursday, January 10, 2019 10:00 AM-12:00 PM

Location Kars Advanced Materials 2528 W. Woodland Drive, Anaheim, CA 92801

10 AM

11

Canceled: Testing as per SED Directive for DOT #1169104
Kars Advanced Materials 2528 W. Woodland Drive, Anaheim, CA 92801
Bauer, Troy A.

Line 1600 Auditor proposals

Skype Meeting
Arazi, Shirley

This testing is being canceled at this time. The case is in the process of being settled. Until it is fully settled, SED is welcome to visually inspect the pipe at any time at our office. Once the case fully settles, we will move forward with testing.

Troy A. Bauer
Manager, Pipeline Safety and Compliance
Cell: [Redacted]

Pipeline Safety and Compliance HOT LINE:
24/7 On Duty Advisor- [Redacted]



This is the meeting notice for date and location to test the pipe associated with the January 20, 2017 incident that occurred at 1748 South mountain Ave., Ontario, San Bernardino County.