



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

TABLE OF CONTENTS	SDG&E	SAFETY- PLAN.0
--------------------------	------------------	---------------------------

SECTION	DESCRIPTION	REQUIRED ELEMENTS FROM CA Public Utilities Code §§ 956.5, 961 and 963
1	INTRODUCTION	961(b)(1-3)
2	EXECUTIVE OFFICER’S SAFETY PERFORMANCE EXPECTATIONS	961(b)(4)
3	PLAN DEVELOPMENT & IMPLEMENTATION	961(e)
4	SAFETY SYSTEMS	961(d)(1)
5	EMERGENCY RESPONSE	956.5, 961(d)(5,6,8)
6	STATE AND FEDERAL REGULATIONS	961(c)(d)(7,9)
7	CONTINUING OPERATIONS	961(d)(3,4,10)963(b)(3)
8	EMERGING ISSUES	961(d)(11)
A	APPENDIX – SAFETY POLICY DOCUMENTS	961 (a)



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

TABLE OF CONTENTS	SDG&E	SAFETY- PLAN.0
--------------------------	------------------	---------------------------

NOTE: Do not alter or add any content from this page down; the following content is automatically generated.
Brief: Changed to reflect the addition of §956.5 to the plan.

Document Profile Summary	
Contact Person:	Schneider, Douglas
Published On:	06/28/2013
Last Full Review Completed On:	
Document Status:	Active
Document Type:	MANUALS
Category (Prior FCD system only):	
If Merged, Merged To Document Number:	
Utility:	SDG&E
Department:	PI
Number of Common Document (if applicable):	
Contains OPQUAL Covered Task:	No
Part of SoCalGas O&M Plan:	No
Part of SDG&E O&M Plan:	No
O&M 49 CFR Codes & Impacted Sections of Document:	
Part of Non-O&M Parts 191-193 Plan	No
Non-O&M 49 CFR Codes & Impacted Sections of Document	
Part of Distribution IMP (DIMP)	No
DIMP 49 CFR Codes & Impacted Sections of Document:	
Part of Transmission IMP (TIMP)	No
TIMP 49 CFR Codes & Impacted Sections of Document:	
Indices/Binders in Which Document if Filed:	OSPSD
NOP Learning Module (LM) Training Code:	



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

INTRODUCTION	SDG&E: SAFETY- PLAN.1
---------------------	--------------------------------------

Table of Contents

1.	PUBLIC UTILITIES CODE SECTIONS 961 AND 963 AND CPUC DECISION 12-04-010.....	2
2.	PURPOSE.....	2
3.	SAFETY PLAN STRUCTURE.....	2
4.	PROGRAM REVIEW AND MODIFICATIONS	3



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

INTRODUCTION	SDG&E: SAFETY-PLAN.1
---------------------	---------------------------------

1. PUBLIC UTILITIES CODE SECTIONS 956.5, 961, 963, AND CPUC DECISION 12-04-010

California Senate Bill 705 was signed into law on October 7, 2011, and codified as California Public Utilities Code Sections 961 and 963. Section 961 requires that each gas corporation in California develop a plan for the safe and reliable operation of its gas pipeline facility and requires that the California Public Utilities Commission (Commission) accept, modify, or reject the plan by year-end 2012. Section 963, among other things, establishes that it is the policy of the state that the Commission and each gas corporation place safety of the public and gas corporation employees as the top priority.

On April 19, 2012, the Commission approved Decision (D.)12-04-010 which amended the scope of the Commission’s Pipeline Safety Rulemaking (R.11-02-019) to include complying with the requirements of Public Utilities Code Sections 961 and 963. The Commission directed each of the state’s gas corporations to submit a proposed natural gas system operator safety plan (Safety Plan), with documentation of the workforce comment process described in the decision, by June 29, 2012.

In addition to PUC sections 961 and 963, the Utilities’ Safety Plan addresses the requirements of Assembly Bill 56, chaptered on October 7, 2011, which codified Public Utilities Code Section 956.5. Section 956.5 requires operators to review emergency contingency plans with local fire departments having jurisdiction over the area intrastate transmission and distribution lines are located.

2. PURPOSE

According to the Commission, “the rationale for developing a gas safety plan is to motivate a gas utility to reflect upon its existing methods and for it to change, to optimize, or to enhance the existing methods,... and lessons learned from the San Bruno incident, as appropriate, to ensure that the gas utility has a prudent plan in place to protect public safety and worker safety”. The gas system operator safety plans are to convey the “Executive Officer’s” safety performance expectations, policy principles, and goals/objectives for a gas utility’s safety performance.

SDG&E has designed its Safety Plan to satisfy each of these directives, and to implement “the policy of the state that the commission and each gas corporation place safety of the public and gas corporation employees as the top priority.”

3. SAFETY PLAN STRUCTURE

This Safety Plan conveys the safety performance expectations of SDG&E’s Senior Management Team, and describes all of the safety plans, programs, policies, standards, and procedures that are designed to accomplish those expectations. In the hierarchy of SDG&E documents that communicate its safety program, this Safety Plan is at the top.

Public Utilities Code Sections 961 and 963 require that the new gas system operator safety plans establish how the utility will achieve certain specified goals, and the Commission has organized



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

INTRODUCTION	SDG&E: SAFETY-PLAN.1
---------------------	---------------------------------

these goals into five overall categories: (1) safety systems, (2) emergency response, (3) state and federal regulations, (4) continuing operations, and (5) emerging issues. This Safety Plan follows this organizational structure laid out by the Commission and is divided into sections corresponding to these 5 categories, with each section representing a required Safety Plan element or other significant element or aspect of the Safety Plan. The requirements of Code Section 956.5 are addressed within the category of emergency response.

SDG&E has numerous existing safety programs, plans, and procedures in place that address specified infrastructure or areas of company activity. The intent of this proposed Safety Plan is not to duplicate these existing safety program components, but to provide an overarching safety strategy that will encompass all the plans, programs, and policies, and affirm SDG&E's commitment to safety.

The Appendix to this Safety Plan provides a listing of the safety program components discussed in the plan.

4. PROGRAM REVIEW AND MODIFICATIONS

Public Utilities Code Section 961 establishes that gas corporations shall periodically review and update their gas system operator safety plans. This Safety Plan shall be reviewed at an annual frequency period not to exceed 15 months. The program owners must provide justification for any deviation from this review schedule.



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

INTRODUCTION	SDG&E: SAFETY-PLAN.1
---------------------	---------------------------------

NOTE: Do not alter or add any content from this page down; the following content is automatically generated.
Brief: Changed to reflect the addition of §956.5 to the plan.

Document Profile Summary	
Contact Person:	Edgar, Sarah
Published On:	06/28/2013
Last Full Review Completed On:	
Document Status:	Active
Document Type:	MANUALS
Category (Prior FCD system only):	
If Merged, Merged To Document Number:	
Utility:	SDG&E
Department:	PI
Number of Common Document (if applicable):	
Contains OPQUAL Covered Task:	No
Part of SoCalGas O&M Plan:	No
Part of SDG&E O&M Plan:	No
O&M 49 CFR Codes & Impacted Sections of Document:	
Part of Non-O&M Parts 191-193 Plan	No
Non-O&M 49 CFR Codes & Impacted Sections of Document	
Part of Distribution IMP (DIMP)	No
DIMP 49 CFR Codes & Impacted Sections of Document:	
Part of Transmission IMP (TIMP)	No
TIMP 49 CFR Codes & Impacted Sections of Document:	
Indices/Binders in Which Document is Filed:	OSPSD
NOP Learning Module (LM) Training Code:	



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

EXECUTIVE OFFICER’S SAFETY PERFORMANCE EXPECTATIONS, POLICY PRINCIPLES, GOALS, AND OBJECTIVES	SDG&E: SAFETY- PLAN.2
--	--------------------------------------

Table of Contents

1.	INTRODUCTION	2
2.	SENIOR MANAGEMENT TEAM SAFETY PERFORMANCE STATEMENT	2
3.	POLICY PRINCIPLES AND PERFORMANCE EXPECTATIONS	3
4.	GOALS AND OBJECTIVES	3
5.	PROGRAM REVIEW AND MODIFICATIONS	3



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

**EXECUTIVE OFFICER’S SAFETY PERFORMANCE EXPECTATIONS,
POLICY PRINCIPLES, GOALS, AND OBJECTIVES**

**SDG&E: SAFETY-
PLAN.2**

1. INTRODUCTION

In D.12-04-010, the Commission reiterated the requirements of California Public Utilities Code §961 (b)(4). This section requires that the safety plan achieve the following:

§ 961(b)(4) “The commission shall require each gas corporation to periodically review and update the plan, and the commission shall review and accept, modify, or reject an updated plan at regular intervals thereafter. The commission, pursuant to Section 1701.1, shall determine whether a proceeding on a proposed update to a plan requires a hearing, consistent with subdivision (e).”

Section 3.1 of D.12-04-010 also requires that this Safety Plan “convey the Executive Officer’s safety performance expectations, policy principles, and goals/objectives for the gas utility’s safe performance.”

This Section provides the safety performance expectations, policy principles, and goals/objectives for safe performance established by SDG&E’s Senior Management Team.

2. SENIOR MANAGEMENT TEAM SAFETY PERFORMANCE STATEMENT

At SDG&E, the safety of our customers, employees, and communities has been and will be our top priority. This tradition of safety spans more than 131 years, and is the foundation for company programs, policies, procedures, guidelines, and best practices. Management’s pipeline safety expectations can best be described by the following Commitment to Safety statement that every member of our Senior Management Team wholeheartedly endorses:

San Diego Gas & Electric’s longstanding commitment to safety focuses on three primary areas – employee safety, customer safety and public safety. This safety focus is embedded in what we do and is the foundation for who we are – from initial employee training, to the installation, operation and maintenance of our utility infrastructure, and to our commitment to provide safe and reliable service to our customers.

-- SDG&E’s Commitment to Safety



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

EXECUTIVE OFFICER’S SAFETY PERFORMANCE EXPECTATIONS, POLICY PRINCIPLES, GOALS, AND OBJECTIVES	SDG&E: SAFETY-PLAN.2
--	---------------------------------

3. POLICY PRINCIPLES AND PERFORMANCE EXPECTATIONS

SDG&E's safety-focused culture and supporting organizational structure allow the company to be proactive and accountable in the safe delivery of natural gas and supporting services. The company continuously strives for a work environment where employees at all levels can raise pipeline infrastructure, customer safety, and employee safety concerns and offer suggestions for improvement.

SDG&E’s safety performance will be regularly monitored and evaluated in accordance with all state and federal regulations. Additional performance metrics shall be maintained and evaluated, as appropriate, to foster a culture of continuous safety improvement. These performance metrics shall be reviewed and communicated in accordance with the schedules identified in the specific policy, program, plan or other document incorporated as part of the Safety Plan.

In addition, SDG&E shall monitor the U.S. Department of Transportation (DOT) Pipeline and Hazardous Materials Safety Administration (PHMSA) website for new regulations and advisory bulletins and act upon any applicable regulations and bulletins in a timely manner, and verify that changes in regulations are reflected in policies, standards, procedures and employee training.

4. GOALS AND OBJECTIVES

SDG&E takes an integrated approach to pipeline integrity and safety, beginning with the design and construction of facilities and followed by continuous evaluation and improvement of operation and maintenance activities, public communication and awareness, emergency response, safety programs and practices, the implementation of new technologies, and a workplace that encourages continual open and informal discussion of safety-related issues.

Our goal is to continuously drive process improvements throughout our pipeline system and operations, to meet state and federal safety regulations, and to stay abreast of industry best practices.

5. PROGRAM REVIEW AND MODIFICATIONS

All components of this Safety Plan must be reviewed and updated per their scheduled review period listed in the table below:

Document Type	Review Cycle
Safety Plan	Annually (not to exceed 15 months)



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

EXECUTIVE OFFICER'S SAFETY PERFORMANCE EXPECTATIONS, POLICY PRINCIPLES, GOALS, AND OBJECTIVES	SDG&E: SAFETY-PLAN.2
--	---------------------------------

Gas Standards	At least every 5 years
TIMP	At least Annually
O&M	
Control Room Management	
DIMP	At least every 5 years
Form Instructions	Every 5 years
Environmental	Every 2 years
Information Bulletins	6 months

If changes are needed, they shall be made as soon as practicable through the Request to Publish process, and not deferred until the next scheduled review.

This Safety Plan has been reviewed and approved by the officers of San Diego Gas and Electric Company with responsibility over gas operations. Their signatures are appended to the Executive Summary which prefaced the Safety Plan filed on June 29, 2012 and acknowledged their commitment to safety and affirmed the de facto implementation of the Safety Plan.

During the annual review of the Plan, I, the standing Engineering and Operations executive officer affirm that the Plan, as approved and implemented, continues to reflect the commitment of the Company's officers.

Dated: December 20, 2012

SAN DIEGO GAS & ELECTRIC COMPANY

By: /s/ Richard M. Morrow
 Richard M. Morrow
 Vice President - Engineering and Operations Staff



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

EXECUTIVE OFFICER’S SAFETY PERFORMANCE EXPECTATIONS, POLICY PRINCIPLES, GOALS, AND OBJECTIVES	SDG&E: SAFETY-PLAN.2
--	---------------------------------

SUMMARY OF DOCUMENT CHANGES & FILING INSTRUCTIONS	
Brief: Initial Publication in response to CPUC Decision 12-04-010	
Circulation Code	Filing Instructions

DOCUMENT PROFILE SUMMARY	
NOTE: Do not make any changes to this table. Data in this table is automatically posted during publication.	
Document Number:	SP.2-SD
Document Title:	Executive Officer’s Safety Performance Expectations
Contact Person:	Rick Morrow
Current Revision Date:	12/21/2012
Last Full Review Completed On:	
Document Status:	Active
Document Type:	MANUALS
Category (FCD Only):	
If Merged, Merged to:	
Incoming Materials Inspection Required (MSP only):	
Company:	SDG&E
Common Document (if applicable):	
Contains OPQUAL Covered Task:	No
Part of SoCalGas O&M Plan (reviewed annually):	No
Part of SDG&E O&M Plan (reviewed annually):	No
O&M 49 CFR Codes & Impacted Sections of Document:	
Part of Transmission IMP (TIMP):	No
TIMP 49 CFR Codes & Impacted Sections:	
Part of Distribution IMP (DIMP):	No
Additional 49 CFR Codes Covered by Document:	
Learning Module (LM) Training Code:	



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

PLAN DEVELOPMENT & IMPLEMENTATION	SDG&E: SAFETY-PLAN.3
--	---------------------------------

Table of Contents

1. PLAN DEVELOPMENT AND IMPLEMENTATION AND CALIFORNIA PUBLIC UTILITIES CODE § 961 (e)	2
2. CPUC DIRECTIVES ON WORKFORCE PARTICIPATION	2
3. EMPLOYEE SAFETY PLAN CONTRIBUTION PROCESS	2



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

PLAN DEVELOPMENT & IMPLEMENTATION	SDG&E: SAFETY-PLAN.3
--	---------------------------------

1. PLAN DEVELOPMENT AND IMPLEMENTATION AND CALIFORNIA PUBLIC UTILITIES CODE § 961 (e)

In D.12-04-010, the Commission identified the topic of workforce participation in plan development to meet the requirements of California Public Utilities Code 961(e). This section requires that the safety plan achieve the following:

- § 961(e) “The commission and gas corporation shall provide opportunities for meaningful, substantial, and ongoing participation by the gas corporation workforce in the development and implementation of the plan, with the objective of developing an industry-wide culture of safety that will minimize accidents, explosions, fires, and dangerous conditions for the protection of the public and the gas corporation workforce.”

2. CPUC DIRECTIVES ON WORKFORCE PARTICIPATION

To comply with PUC 961(e) directives, the Commission has explained that natural gas system operators need to take the following actions:

1. The operator must make its safety plan available to its workforce, and provide for comments and suggestions from the workforce;
2. Gas system operators shall retain a log of the comments and suggestions, including the disposition of the comment or suggestion, with a summary of the rationale for the disposition;
3. Gas system operators shall also inform their employees that any employee who perceives a breach of safety requirements may inform the Commission of the breach, and that the Commission will keep the identity of the employee confidential; and
4. Each gas operator shall provide its workforce with the address of the Director of the Commission’s Consumer Protection and Safety Division and the designation “Safety Breach Notification from Gas System Operator Employee–Confidentiality Requested” to seek confidential treatment.

3. EMPLOYEE SAFETY PLAN CONTRIBUTION PROCESS

Employees play a critical role in SDG&E's pipeline safety activities and have been an important part in developing this Safety Plan. Going forward, SDG&E will continue to gather regular and substantial safety-related input from its employees.

In the development of this Safety Plan, SDG&E engaged employees and solicited their feedback and ideas on the Plan. This activity was also another opportunity to convey the company's safety-focused messages and encourage open and informal discussion of safety-related issues.



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

PLAN DEVELOPMENT & IMPLEMENTATION

**SDG&E: SAFETY-
PLAN.3**

SDG&E held employee meetings where managers and supervisors discussed components of the draft Safety Plan. SDG&E encouraged employees to ask questions and complete a survey with their process improvement and safety suggestions. In the survey, employees were asked to include their name, work location and a phone number in the event that further information was required to generate a response. However, employees were also told that they were welcome to remain anonymous.

SDG&E asked employees to submit their survey comments in one of the following ways: complete an electronic survey available on a SharePoint site; submit written ideas through company mail to the Field Services Manager; or provide their supervisor/manager with their ideas, which would be forwarded to the Field Services Manager.

SDG&E also explained that employees could provide information directly to the Commission if they choose. Employees can report safety concerns to the Director of the Commission's Safety and Enforcement Division at the following address:

Director of Safety and Enforcement Division
California Public Utilities Commission
505 Van Ness Ave.
San Francisco, CA 94102

In order to receive confidential treatment, employees must add the designation, "Safety Breach Notification from Gas System Operator Employee – Confidentiality Requested."

SDG&E also took the following steps to promote employee participation in the development of the Safety Plan:

- SDG&E created an internal website, which featured copies of the draft Natural Gas System Operator Safety Plan, employee survey and presentation. The site explains to employees how to provide ongoing pipeline safety suggestions and reminds them that they may provide information directly to the Commission if they choose.
- SDG&E circulated employee bulletins which explained how to access the Safety Plan and provide input to the company (supervisor, phone, mail, and website) or directly to the Commission, including the statement in the paragraphs above on how to provide that information to the Commission anonymously. These bulletins remain posted on employee bulletin boards, and will serve as an ongoing reminder to employees on how to provide safety suggestions.
- SDG&E organized a focus group to solicit additional comments from employees who had provided feedback.
- SDG&E added links to the Safety Plan from the company's intranet site.



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

PLAN DEVELOPMENT & IMPLEMENTATION	SDG&E: SAFETY- PLAN.3
--	--------------------------------------

In addition, SDG&E shared its draft Safety Plan with contractors and asked for their suggestions and recommendations.

SDG&E received over 60 employee survey responses with suggestions ranging from tools and training to public awareness and pipeline design. The employee surveys were logged and recorded and SDG&E is in the process of analyzing responses contacting employees for clarifications and planning follow-up activities. SDG&E will prepare a summary of the employee feedback received and make it available to employees via the website. Systems are being established to allow employees the opportunity to comment on the Plan and to make ongoing suggestions with appropriate follow-up coming from staff management. This follow-up may include revised training materials, bulletins, gas standards, or just clarification discussions with the employees. The basis for accepting or rejecting the suggestion will be the extent to which the suggestion improves the safety of the pipeline, and assists us in meeting all regulatory requirements and industry best practices, with consideration for minimizing the disruption of operating efficiencies.

Upon implementation, SDG&E will monitor various aspects of the Plan for process improvements which may include the use of additional focus groups, direct input from employee subject matter experts, collaboration with employee safety committees, and hosting employee workshops concentrating on defining improvements to tooling and training.

The Safety Plan will be available to all employees and will be stored online and reviewed and updated periodically.



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

PLAN DEVELOPMENT & IMPLEMENTATION	SDG&E: SAFETY- PLAN.3
--	--------------------------------------

NOTE: Do not alter or add any content from this page down; the following content is automatically generated.
Brief: Added SED Director Contact Information.

Document Profile Summary	
Contact Person:	Ayala, Frank B.
Published On:	06/28/2013
Last Full Review Completed On:	
Document Status:	Active
Document Type:	MANUALS
Category (Prior FCD system only):	
If Merged, Merged To Document Number:	
Utility:	SDG&E
Department:	PI
Number of Common Document (if applicable):	
Contains OPQUAL Covered Task:	No
Part of SoCalGas O&M Plan:	No
Part of SDG&E O&M Plan:	No
O&M 49 CFR Codes & Impacted Sections of Document:	
Part of Non-O&M Parts 191-193 Plan	No
Non-O&M 49 CFR Codes & Impacted Sections of Document	
Part of Distribution IMP (DIMP)	No
DIMP 49 CFR Codes & Impacted Sections of Document:	
Part of Transmission IMP (TIMP)	No
TIMP 49 CFR Codes & Impacted Sections of Document:	
Indices/Binders in Which Document if Filed:	OSPSD
NOP Learning Module (LM) Training Code:	



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

SAFETY SYSTEMS	SDG&E: SAFETY-PLAN.4
-----------------------	---------------------------------

Table of Contents

1.	SAFETY SYSTEMS AND CALIFORNIA PUBLIC UTILITIES CODE § 961 (d)(1) and (d)(2)	2
2.	TRANSMISSION INTEGRITY MANAGEMENT PROGRAM (TIMP)	2
3.	DISTRIBUTION INTEGRITY MANAGEMENT PROGRAM	4
4.	OPERATION AND MAINTENANCE PLAN	4
5.	PIPELINE SAFETY ENHANCEMENT PLAN	5



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

SAFETY SYSTEMS	SDG&E: SAFETY-PLAN.4
-----------------------	---------------------------------

1. SAFETY SYSTEMS AND CALIFORNIA PUBLIC UTILITIES CODE § 961 (d)(1) and (d)(2)

In D-12-04-010, the Commission identified the topic of safety systems to meet the requirements in California Public Utilities Code 961 (d)(1) and (d)(2). These sections require that the safety plan achieve the following:

- § 961(d)(1) Identify and minimize hazards and systemic risks in order to minimize accidents, explosions, fires, and dangerous conditions, and protect the public and gas corporation workforce.
- § 961(d)(2) Identify the safety-related systems that will be deployed to minimize hazards, including adequate documentation of the commission-regulated gas pipeline facility history and capability.

The following plans and programs are in place to identify and minimize hazards and systemic risks in the pipeline infrastructure, and promote public safety and property protection.

- Transmission Integrity Management Program
- Distribution Integrity Management Program
- Operation and Maintenance Plan

In addition, SDG&E has filed its Pipeline Safety Enhancement Plan (PSEP) with the Commission to address requirements for transmission infrastructure that are beyond current federal requirements and GO 112-E.

Each of these programs is subject to continuous improvement efforts and changes are made when warranted to further protect the public and SDG&E workforce.

2. TRANSMISSION INTEGRITY MANAGEMENT PROGRAM (TIMP)

The Transmission Integrity Management Program (TIMP) is an ongoing program that was developed in accordance with the requirements of the Department of Transportation (DOT), Pipeline and Hazardous Materials Safety Administration (PHMSA), specifically Title 49 Code of Federal Regulations Part 192, Subpart O - Gas Transmission Pipeline Integrity Management.

The TIMP written plan describes how SDG&E complies with the requirements of CFR 192 subpart O. The written plan outlines the approach to implementing the requirements of the Rule and the referenced industry standards, including ASME B31.8S and NACE SP 0502-2008. The document includes a description of each required Program element and identifies or references the procedures and processes for completing those requirements. The TIMP written plan has sixteen chapters that are the policy documents for compliance with the gas transmission pipeline integrity requirements.

The TIMP is designed to provide assessments and integrity improvements on transmission pipelines by outlining responsible parties, timelines for each process element, lessons learned,



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

SAFETY SYSTEMS

SDG&E: SAFETY-
PLAN.4

and a best practices methodology. Processes are aimed at identifying threats through data gathering and routine testing, assessing materials integrity, and determining remediation, preventive and mitigation steps for those threats.

As part of the program, information concerning the pipeline infrastructure, operating environment and performance history is integrated into a broad evaluation of the pipeline and its environment. This information is analyzed for each pipeline segment being assessed and specific integrity-related work plans are developed.

SDG&E employs the following pipeline integrity management activities to assess and evaluate pipelines in the system: in-line inspections, pressure testing and direct assessment. Where operationally feasible, the preferred assessment method for transmission pipelines is in-line inspections. These evaluations address the efficacy of the systems in place to maintain the safe operation of the transmission pipeline including corrosion control and damage prevention programs.

Since the filing of SDG&E's Safety Plan on June 29, 2012, Commissioner Florio issued the following directive:

By letter dated July 10, 2012, California Assembly Member Jerry Hill expressed concern regarding coordination and supervision of in-line inspection contractors to California natural gas utilities. I share the Assembly Member's concerns and therefore I am directing the utilities that employ in-line inspection tools towards assessing for metal loss to amend their Safety Plans to address these concerns no later than August 24, 2012.¹

These concerns arise from a July 10, 2012 NTSB report on the July 2010 crude oil pipeline rupture in Marshall, Michigan. The NTSB highlighted three key causes for the incident:

1. The ILI tool tolerance was not understood.
2. The contractor's analyst originally classified the crack correctly, but that person's supervisor disagreed and classified it incorrectly.
3. There did not appear to be a close interaction between the ILI contractor and the pipeline operator, resulting in the contractor's lack of understanding of how the operator would respond to different anomaly classifications.

SDG&E has procedures that are included in the TIMP governing the in-line inspection process that address the concerns of Assembly Member Hill and Commissioner Florio. These procedures are set forth in the appendix to this Plan, and are followed by our employees and contractors who perform the in-line inspection activities. Gas Standards G8180, *In-line Inspection (ILI) Procedure* and G8161, *In-Line Inspection Surveys Standard* include technical requirements for

¹ R.11-02-019, Assigned Commissioner's Ruling dated July 20, 2012, at 1.



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

SAFETY SYSTEMS	SDG&E: SAFETY-PLAN.4
----------------	----------------------

ILI tools, reporting requirements for the ILI contractor, and performance assessments of the inspection which in combination address ILI tool tolerances and validation of anomaly classification. These standards also define the communication requirements between SDG&E and the ILI contractor throughout each in-line inspection.

The TIMP written plan is reviewed each calendar year as part of the continual improvement process, with modifications being made as necessary.

The TIMP and the related and referenced procedures identify and prescribe activities to minimize transmission systemic risks and document its history and capability.

3. DISTRIBUTION INTEGRITY MANAGEMENT PROGRAM

The Distribution Integrity Management Program (DIMP) is an on-going program that was developed in accordance with the requirements of the DOT and PHMSA, specifically Title 49 Code of Federal Regulations Part 192, Subpart P – Distribution Pipeline Integrity Management. SDG&E published its DIMP written plan in August 2011. The program's purpose is to improve pipeline safety by having operators identify and reduce pipeline integrity risks on distribution pipelines.

SDG&E's DIMP focuses on potential threats and measures designed to reduce the likelihood and consequences of pipeline failures. Specifically, it addresses system knowledge; threats; evaluation and ranking of risk; measures to address risks; performance measurement; results monitoring; effectiveness evaluation; periodic evaluation and improvement; and results reporting. SDG&E's written DIMP plan has nine chapters and requires the integration of data from many sources for analysis and subsequent action based upon the analysis.

The DIMP includes certain activities SDG&E has routinely performed in the past, and it requires the development of a more formal and structured approach toward the company's traditional core regulatory pipeline integrity-related obligations.

New regulatory reporting requirements have also been added in Subpart P of our DIMP written plan that include the reporting of above-ground leak repairs, hazardous leaks resulting from mechanical fitting failure, the number of excavation tickets, the number of excess flow valves installed, and other safety performance information.

The DIMP written plan and related and referenced procedures identify and prescribe activities to minimize systemic and localized risks to the Distribution system, and document relevant system information.

SDG&E's DIMP is reviewed at a minimum every five calendar years as part of the periodic improvement process, with modifications being made whenever necessary.

4. OPERATION AND MAINTENANCE PLAN



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

SAFETY SYSTEMS	SDG&E: SAFETY-PLAN.4
-----------------------	---------------------------------

SDG&E’s Operation and Maintenance (O&M) plan is a compendium of 119 policies that meet the requirements 49 CFR 192.605 “Procedural manual for operations, maintenance, and emergencies”. This plan includes policies that address:

- Operating, maintaining, and repairing the pipeline and components
- Controlling corrosion
- Availability of construction records, maps, and operating history
- Start up and shut down of the pipeline
- Maintenance and operation of compressor stations
- Review of procedures to determine effectiveness and adequacy
- Safety procedures for excavation
- Control room management

The O&M plan is reviewed annually to verify that the referenced documents containing policies and procedures remain in compliance with the requirements of the relevant sections of 49 CFR regulations. The policies and procedures referenced are updated throughout the year in response to new information or regulations, technology or other items that drive improvement to the policy.

Individual documents referenced by the O&M plan undergo full functional reviewed at least every five years. Training programs are reviewed in the same timeframe as associated gas standards so employees are aware of and perform tasks according to the current requirements. To help employees remain knowledgeable of the critical policies and procedures, including those related to safety, SDG&E provides annual review training for all operating employees.

The documents referenced by the O&M plan identify and prescribe activities to minimize pipeline systemic risks and document its history.

5. PIPELINE SAFETY ENHANCEMENT PLAN

SDG&E submitted its Pipeline Safety Enhancement Plan (PSEP) with the Commission in August of 2011 in response to the Commission’s directive that all gas corporations subject to the Commission’s jurisdiction develop and implement a plan to replace or pressure test all transmission pipelines that have not been tested to modern standards. The Commission also required that gas corporations include in their safety enhancement plans proposals for automating shutoff valves.

The PSEP’s key elements include:

- A two-phased approach and prioritization process for the pressure testing or replacement of transmission pipeline segments that were not tested to modern standards.
- Criteria for determining whether to pressure test or replace pipeline segments.



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

SAFETY SYSTEMS	SDG&E: SAFETY- PLAN.4
-----------------------	--------------------------------------

- A proposal for enhancing SDG&E's valve infrastructure. This proposal includes installing additional remote control and automated shutoff valves, and installing supporting equipment and system features on transmission pipelines.

All testing, replacement, valve work and other infrastructure activities completed as part of the PSEP shall be completed in accordance with this Safety Plan.

PSEP also offers proposals to enhance the pipeline system beyond measures required by the Commission through retrofitting pipelines with existing and emerging technologies to provide advance warning of potential pipeline failure and decrease the time to identify, investigate, prevent, remedy or manage the effects of such an event, and it includes alternatives that can be adopted by the Commission that are designed to reduce costs for customers.



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

SAFETY SYSTEMS	SDG&E: SAFETY-PLAN.4
-----------------------	---------------------------------

SUMMARY OF DOCUMENT CHANGES & FILING INSTRUCTIONS	
Brief: Initial Publication in response to CPUC Decision 12-04-010	
Circulation Code	Filing Instructions

DOCUMENT PROFILE SUMMARY	
NOTE: Do not make any changes to this table. Data in this table is automatically posted during publication.	
Document Number:	SP.4-SD
Document Title:	Safety Systems
Contact Person:	Doug Schneider
Current Revision Date:	12/19/2012
Last Full Review Completed On:	
Document Status:	Active
Document Type:	MANUALS
Category (FCD Only):	
If Merged, Merged to:	
Incoming Materials Inspection Required (MSP only):	
Company:	SDG&E
Common Document (if applicable):	
Contains OPQUAL Covered Task:	No
Part of SoCalGas O&M Plan (reviewed annually):	No
Part of SDG&E O&M Plan (reviewed annually):	No
O&M 49 CFR Codes & Impacted Sections of Document:	
Part of Transmission IMP (TIMP):	No
TIMP 49 CFR Codes & Impacted Sections:	
Part of Distribution IMP (DIMP):	No
Additional 49 CFR Codes Covered by Document:	
Learning Module (LM) Training Code:	



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

EMERGENCY RESPONSE	SDG&E: SAFETY- PLAN.5
---------------------------	--------------------------------------

Table of Contents

1.	EMERGENCY RESPONSE AND CALIFORNIA PUBLIC UTILITIES CODE § 961 (d)(5), (d)(6) and (d)(8)	2
2.	EMERGENCY RESPONSE PLAN	2



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

EMERGENCY RESPONSE	SDG&E: SAFETY-PLAN.5
---------------------------	---------------------------------

1. EMERGENCY RESPONSE AND CALIFORNIA PUBLIC UTILITIES CODE § 961 (d)(5), (d)(6) and (d)(8)

In D.12-04-010, the Commission identified the topic of emergency response to meet the requirements California Public Utilities Code § 961 (d)(5), (d)(6) and (d)(8). These sections require that the Safety Plan achieve the following:

- § 961(d)(5) Provide for appropriate and effective system controls, with respect to both equipment and personnel procedures, to limit the damage from accidents, explosions, fires, and dangerous conditions.
- § 961(d)(6) Provide timely response to customer and employee reports of leaks and other hazardous conditions and emergency events, including disconnection, reconnection, and pilot lighting procedures.
- § 961(d)(8) Prepare for, or minimize damage from and respond to, earthquakes and other major events.

In response to the Safety and Enforcement Division inquiry into options to implement Public Utilities Code §956.5, SDG&E has included §956.5 as a requirement of the Safety Plan;

- § 956.5. Owners and operators of intrastate transmission and distribution lines, at least once each calendar year, shall meet with each local fire department having fire suppression responsibilities in the area where those lines are located to discuss and review contingency plans for emergencies involving the intrastate transmission and distribution lines within the jurisdiction of the local fire department.

SDG&E has a number of programs, policies, standards and procedures in place so that the company and its employees are prepared to respond to emergencies. These activities are intended to limit damage from accidents and provide timely response to customer and employee reports of leaks, hazardous conditions, and emergency events such as earthquakes.

2. EMERGENCY RESPONSE PLAN

The Gas Emergency Response Plan documents how SDG&E complies with the emergency response requirements specified by the Public Utilities Code 961 (d)(5)(6) and (8), as well as the emergency response procedures required by 49 CFR Part 192.615. This plan covers the following emergency response elements:

- SDG&E's Emergency Response Organization, including positions and responsibilities of the Emergency Operations Center and Gas Emergency Center and Transmission Command Post;
- Emergency preparedness;
- Continuity planning;
- Mutual assistance; and

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

EMERGENCY RESPONSE	SDG&E: SAFETY-PLAN.5
---------------------------	---------------------------------

- Plan maintenance.

The plan incorporates by reference SDG&E procedures and documents that collectively comply with the various requirements of 49 CFR Part 192.615 including:

- The responsibility of customer contact centers, which receive customer reports of emergencies and leaks;
- The responsibility of dispatch offices, which act as the central point for receiving and recording information on reportable incidents, emergencies, and natural disasters affecting the company, and which also process internal gas incident notifications; and
- The Emergency Incident Reporting System that is used to record reports of damage to SDG&E pipelines or facilities and to log, track, and notify field personnel and others within the company about emergency situations.
- Establishing and maintaining liaison with appropriate fire departments

This Emergency Response Plan is designed to provide for the safety of customers, employees and communities and the protection of property in the event of a major emergency related to gas pipeline operations.

SDG&E prepares and maintains written plans that address emergency or disaster situations, including earthquake response. As part of these plans, employees are trained and equipped to respond promptly; direct their actions toward protecting people first and then property; maintain gas service to customers where possible; and, restore the affected pipeline system and company operations to normal status following an emergency or disaster. The plans address continuity planning to ensure organizational stability in the event of a major business disruption so that critical functions can continue during and after a disaster with minimal disruption.

These plans include written gas handling plans, alternative gas handling plans and various considerations when performing gas handling/pressure control. Employees are to adhere to these plans when performing these duties and take precautions to prevent outages, over pressurization, errors in mapping or planning and other safety concerns. Employees performing specified tasks must be trained on the policies and procedures to complete their duties safely. This includes the operation of valves, control equipment and instrumentation. These policies and procedures shall be followed.

Plans for coping with a major emergency include provisions for training; response and recovery; specific responsibility for on-call schedules and duties; inter-organizational assistance; coordination with, and notification of, governmental agencies; media contact; assignments to governmental emergency organizations; and activation of the company's regional Gas Emergency Center.

SDG&E's emergency management organization is modeled after the Standardized Emergency Management System (SEMS), which allows for a multi-level emergency response organization.



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

EMERGENCY RESPONSE

**SDG&E: SAFETY-
PLAN.5**

This means that the severity of the incident determines the level of support and resources that are necessary to respond to the event.

SDG&E has three levels of emergency management support:

- Construction and Operations Center Field Level response for routine local emergencies or incidents involving a small number of customers;
- a Gas Emergency Center at Miramar in coordination with Southern California Gas Company's Transmission Command Post, which are activated for larger emergencies that involve repair and restoration efforts as well as technical support, logistics, and communications activities; and
- an Emergency Operations Center, which is for large scale events that may involve a large number of customers across regions or an event that may require the coordination and communication with multiple internal and/or external organizations (such as significant earthquakes).

SDG&E has a regional Gas Emergency Center that coordinates responses with SoCalGas' Transmission Command Post, and an Emergency Operations Center staffed with trained personnel to respond to and recover from major emergencies. SDG&E also has a backup Emergency Operations Center in the event the main center becomes inoperative.

SDG&E maintains and tests its emergency response plan and structure by conducting regular emergency preparedness drills and exercises to promote employee proficiency in emergency assignments and to validate the effectiveness of its emergency plans.

SDG&E has begun, and shall continue, to integrate elements of the Incident Command System (ICS) into the company's field response structure. Incident Command System is a standardized approach to incident management that provides all responders an integrated organizational structure that matches the complexities and demands of the incident, and can expand or contract to meet incident needs. This integrated organizational structure outlines communication standards for inter-functional (i.e., Transmission, Distribution, etc.) and interagency (i.e., fire service, law enforcement, Caltrans, etc.) cooperation during an emergency incident and responsibilities within the company.

In addition to Incident Command System training, the company provides "First Responder" training for field management personnel that may respond to emergencies.

Plans for routine emergencies differ from a major emergency in that Company personnel respond and address the emergency with no or minimal interaction with other agencies. The Company responds immediately to all emergencies. In addition to the immediate response to emergencies, other potentially hazardous conditions reported to the Company are scheduled dependent upon the specific information reported to the Utility. Response times of less than four hours, less than 14 hours and same day have been established for these non-emergency conditions.

The individual procedures, policies and programs associated with this chapter are listed in the Appendix.



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

EMERGENCY RESPONSE	SDG&E: SAFETY- PLAN.5
---------------------------	--------------------------------------



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

EMERGENCY RESPONSE	SDG&E: SAFETY-PLAN.5
---------------------------	---------------------------------

NOTE: Do not alter or add any content from this page down; the following content is automatically generated.
Brief: Changes in process to reflect §956.5, addition of operating procedures and response times.

Document Profile Summary	
Contact Person:	Fussell, Ken
Published On:	06/28/2013
Last Full Review Completed On:	
Document Status:	Active
Document Type:	MANUALS
Category (Prior FCD system only):	
If Merged, Merged To Document Number:	
Utility:	SDG&E
Department:	PI
Number of Common Document (if applicable):	
Contains OPQUAL Covered Task:	No
Part of SoCalGas O&M Plan:	No
Part of SDG&E O&M Plan:	No
O&M 49 CFR Codes & Impacted Sections of Document:	
Part of Non-O&M Parts 191-193 Plan	No
Non-O&M 49 CFR Codes & Impacted Sections of Document	
Part of Distribution IMP (DIMP)	No
DIMP 49 CFR Codes & Impacted Sections of Document:	
Part of Transmission IMP (TIMP)	No
TIMP 49 CFR Codes & Impacted Sections of Document:	
Indices/Binders in Which Document if Filed:	OSPSD
NOP Learning Module (LM) Training Code:	



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

STATE AND FEDERAL REGULATIONS	SDG&E: SAFETY-PLAN.6
--------------------------------------	---------------------------------

Table of Contents

1. STATE AND FEDERAL REGULATIONS AND CALIFORNIA PUBLIC UTILITIES CODE § 961 (d)(7), (d)(9) and (c).....	2
2. REGULATORY OVERSIGHT.....	2
3. Compliance with General Order 112-E	4



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

STATE AND FEDERAL REGULATIONS	SDG&E: SAFETY-PLAN.6
-------------------------------	----------------------

1. STATE AND FEDERAL REGULATIONS AND CALIFORNIA PUBLIC UTILITIES CODE § 961 (d)(7), (d)(9) and (c)

In D.12-04-010, the Commission identified the topic of state and federal regulations to meet the requirements California Public Utilities Code § 961 (c), (d)(7) and (d)(9). These sections require that the safety plan achieve the following:

- § 961(d)(7) Include appropriate protocols for determining maximum allowable operating pressures on relevant pipeline segments, including all necessary documentation affecting the calculation of maximum allowable operating pressures.
- § 961(d)(9) Meet or exceed the minimum standards for safe design, construction, installation, operation, and maintenance of gas transmission and distribution facilities prescribed by regulations issued by the United States Department of Transportation in Part 192 (commencing with Section 192.1) of Title 49 of the Code of Federal Regulations.
- § 961(c) The plan developed, approved, and implemented pursuant to subdivision (b) shall be consistent with best practices in the gas industry and with federal pipeline safety statutes as set forth in Chapter 601 (commencing with Section 60101) of Subtitle VIII of Title 49 of the United States Code and the regulations adopted by the United States Department of Transportation pursuant to those statutes.

This chapter provides how SDG&E complies with these directives.

2. REGULATORY OVERSIGHT

SDG&E’s Transmission and Distribution pipelines and facilities are regulated by PHMSA on the federal level, and by the Commission at the state level. The Commission is a state partner of PHMSA and is certified by PHMSA for the *intrastate* regulatory, inspection, and enforcement responsibilities of the transportation of natural gas.

The State of California’s rules governing the design, construction, testing, operation, and maintenance of gas transmission and distribution piping systems are specified in Commission’s General Order 112-E.

The Commission has incorporated Title 49 of the Code of Federal Regulations (49 CFR), Parts 190, 191, 192, 193, and 199, which govern the design, construction, testing, operation, and maintenance of Gas Piping Systems into its General Order 112-E.

This Safety Plan and the related documents shall remain consistent with industry best practice, General Order 112-E and the applicable Parts of Title 49 of the Code of Federal Regulations.

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

STATE AND FEDERAL REGULATIONS	SDG&E: SAFETY-PLAN.6
--------------------------------------	---------------------------------

SDG&E’s gas standards, including O&M procedures, are developed to comply with federal and state pipeline safety regulations. To meet new laws, rules, and regulations, the Gas Engineering department is designated to monitor and track changes to legislation and regulatory requirements. When new regulations are adopted, the department coordinates the implementation of new requirements and documents them so that policies, standards, practices, and training materials are updated, as appropriate.

SDG&E stays current with regulations and requirements by monitoring legislative and regulatory activities and participating in industry associations, such as the American Gas Association (AGA).

The table below demonstrates how SDG&E is meeting AGA’s recommendations to enhance safety and gas operations in comparison with the rest of the industry.

Gas Utility Industry Actions To Be Implemented	SDG&E Target Date & Responsible Organization
Confirm the established MAOP of transmission pipelines	Complete Pipeline Integrity
Review and revise as necessary established construction procedures to provide for appropriate (risk-based) oversight of contractor installed pipeline facilities.	In Progress (Revised target date to 12/31/13) Gas Operation Services
Under DIMP, evaluate risk associated with trenchless pipeline techniques and implement initiatives to mitigate risks	Active: Sewer Lateral Inspection Program Gas Operations Support
Under DIMP, identify distribution assets where increased leak surveys may be appropriate	12/31/2013 Pipeline Integrity
Integrate applicable provisions of AGA’s emergency response white paper and checklist into emergency response procedures	In Progress (Revised target date to 12/31/13) Emergency Services
Extend Operator Qualification program to include tasks related to new main & service line construction	Effective 1/1/13 Gas Operations Services
Expand EFV installation beyond single family residential homes	12/31/2013 Pipeline Integrity
Incorporate an Incident Command System (ICS) type of structure into emergency response protocols	Completed Emergency Services
Extend transmission integrity management principles outside of HCAs using a risk-based approach	12/31/2013 Pipeline Integrity
Implement applicable portions of AGA’s technical guidance documents: 1) Oversight of new construction tasks to ensure quality; 2) Ways to improve engagement between operators & excavators	To be implemented upon publication and review of AGA guidance documents Gas Operations Services

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

STATE AND FEDERAL REGULATIONS	SDG&E: SAFETY-PLAN.6
--------------------------------------	---------------------------------

Begin risk-based evaluation on the use of ASVs, RCVs or equivalent technology on transmission block valves in HCAs	Active Gas Engineering
Implement appropriate meter set protection practices identified through the Best Practices Program	Active: Gas Infrastructure Protection Program (GIPP) Gas Operations Support

The Company also updates procedures, standards and audit programs and keeps required documentation (e.g., leak survey records, patrols, cathodic protection reads, meter and regulation inspection forms, test data, and other documents) for a specified time period to demonstrate compliance.

SDG&E will continue these activities to comply with all regulations and requirements.

3. COMPLIANCE WITH GENERAL ORDER 112-E

In accordance with General Order 112-E and by incorporation, 49 CFR Part 192, SDG&E has implemented and follows policies, procedures and programs that govern the design, construction, installation, operation, maintenance and determination of maximum allowable operating pressure for gas transmission and distribution facilities. These policies, procedures and programs are updated in a timely manner as appropriate in response to changes in regulation, safety advisories, and other safety information.

The individual procedures, policies and programs associated with this Section are listed in the Appendix.

These policies, procedures and programs have been developed to comply with the code requirements and are summarized as follows:

- 3.1. Design: 49 CFR Part 192 Subparts B, C, and D specify the minimum requirements for the material selection and design of pipe and pipeline components. SDG&E’s transmission and distribution pipe and facilities are designed with approved materials that have sufficient wall thickness and/or adequate protection to withstand anticipated external pressures and loads that will be imposed on the pipe after installation. The pipe and facilities are also designed with materials of sufficient strength to contain internal pressures plus appropriate safety factors. Components, including valves, flanges, and fittings meet the minimum prescribed requirements specified in the regulations. The design also includes pressure relief or other protective devices to prevent accidental over pressurization as further described in the maintenance section.
- 3.2. Construction: 49 CFR Part 192 Subparts E, F, and G specify the minimum requirements for the construction of transmission and distribution facilities, including the welding and joining pipe and components as well as the protection of the pipe and facilities from hazards such as unstable soil, landslides, and other hazards that may cause the pipe to

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

STATE AND FEDERAL REGULATIONS	SDG&E: SAFETY-PLAN.6
--------------------------------------	---------------------------------

move or sustain abnormal loads. SDG&E’s transmission and distribution pipe and facilities are to be constructed in accordance with these requirements.

- 3.3. Installation: 49 CFR Part 192 Subpart H specifies the minimum requirements for the installation of distribution service lines, service regulators and customer meters. These requirements include specifications pertaining to the location of this infrastructure, protection from damage, and valve requirements. SDG&E’s service lines, service regulators and customer meters are to be installed in accordance with these requirements.

- 3.4. Maintenance: 49 CFR Part 192 Subparts M and I specify the minimum requirements for the maintenance of transmission and distribution pipe facilities along with the associated corrosion protection facilities. Maintenance activities include the patrolling of pipeline, performing leakage surveys, monitoring performance of corrosion protection systems, making repairs, inspection and testing of pressure limiting and regulating equipment, and valve and vault inspection and upkeep. SDG&E maintains its pipelines and facilities in accordance with these requirements. SDG&E’s patrol, leak survey, pressure limiting, valve and vault maintenance activities are further explained as follows:
 - 3.4.1. Patrol: Pipeline patrols are performed to look for indications of pipeline leaks, missing pipeline markers, construction activity, right of way encroachment and other factors that may threaten the pipeline. These patrols are to be performed at specified frequencies dependent upon the type of facility and its location.

 - 3.4.2. Leak Survey: SDG&E conducts leakage surveys of its pipelines at frequencies that are specified in the regulations. These surveys are typically conducted using combustible gas detectors. Leak indications are to be recorded and assigned a priority code based upon the concentration of gas recorded by the instrument as well as other relevant factors that may exist in proximity to its location. The highest priority leaks are to be continuously monitored and repaired promptly. Small leaks that pose little threat to the public are to be monitored and repaired based on operating conditions.

 - 3.4.3. Pressure Monitoring and Control: Each pipeline system receives supply from higher pressure pipelines connected to the integrated system. Equipment exists between systems to regulate and control the pressure in each pipeline. Failure of pressure control equipment could result in the accidental over-pressurization of pipelines not designed to withstand the higher pressure of the upstream system. Accordingly, the pipeline systems are to be equipped with appropriate regulating, or limiting devices that will activate in the event the primary pressure control device fails. These devices have sufficient capacity and are to be set to prevent the over pressurization of pipe and pipeline components commensurate with regulatory requirements.

Each pressure limiting station and pressure regulating station and its equipment

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

STATE AND FEDERAL REGULATIONS	SDG&E: SAFETY-PLAN.6
--------------------------------------	---------------------------------

must be inspected once per year. These inspections verify that the equipment is:

- In good mechanical condition;
- Adequate from the standpoint of capacity and reliability of operation for the service in which it is employed;
- Set to control or relieve at the correct pressure consistent with the pressure limits of applicable regulatory requirements; and
- Properly installed and protected from dirt, liquids, or other conditions that might prevent proper operation.

Any defective or inadequate equipment found must be promptly repaired or replaced.

3.4.4. Corrosion Control: Requirements for the protection of metallic pipelines from external, internal and atmospheric corrosion are prescribed in Subpart I – Requirements for Corrosion Control. Corrosion Control Activities include:

- The use of protective coatings and paints to prevent a corrosive atmospheric or soil environment from coming in contact with the external steel surface
- For the external surface of buried steel, the use of Cathodic Protection (CP) systems. CP is a technology that uses direct electrical current to counteract the normal corrosion of a metal pipeline.
- Management of the composition of the gas in the pipeline to prevent the formation of a corrosive environment and prevent internal corrosion.

3.4.5. Valve Maintenance: SDG&E performs maintenance and inspection activities on all valves that may be necessary for the safe operation of its natural gas system. These valves include system isolation valves, inlet and outlet valves to regulator stations, bridge approach valves and high pressure line sectionalizing valves. All identified valves are to be checked and serviced at least once each calendar year. Routine maintenance and inspection activities include:

- Valve is not leaking;
- Valve is properly identified;
- Valves are adequately lubricated; and
- Valve operation is verified

Any issues requiring immediate action are to be addressed right away. All required follow-up work is managed through the issuance of an appropriate work order to perform needed repair or maintenance activities.

3.4.6. Vault Maintenance: Underground vaults typically house pressure regulating or pressure limiting equipment. The purpose of the vault is to allow access to the

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

STATE AND FEDERAL REGULATIONS	SDG&E: SAFETY-PLAN.6
--------------------------------------	---------------------------------

equipment for inspection, maintenance, and repair activities. SDG&E performs routine maintenance and inspection on all underground vaults. Vault maintenance normally coincides with the scheduled maintenance of the equipment housed within the vault. These inspections are to be completed once per year. Routine maintenance and inspection activities for underground vaults include:

- Proper operation of ventilation equipment, if so equipped;
- Structural condition of vault walls, floor, ladders, steps, handrails, etc.;
- Structural condition and operation of cover, including hinges and locking devices; and
- Correct for any presence of water, trash or other foreign substances.

Any issues requiring immediate action are properly addressed. All required follow-up work is managed through the issuance of an appropriate work order to perform needed repair or maintenance activities.

3.5. Operations: 49 CFR Part 192 Subpart L and K specifies the minimum requirements for the operation of transmission and distribution pipeline facilities. Operational activities are included in the O&M plan described in Chapter 4 and include the Emergency Response Plan described in Chapter 5 of this Safety Plan. The operation of the pipeline also includes requirements for a public awareness program, damage prevention program, control room management procedures, odorization of gas, identification of changes in population density along certain transmission lines, and the determination of maximum allowable operating pressure. SDG&E operates its pipelines and facilities in accordance with these requirements:

3.5.1. Public Awareness Program: The regulations governing public awareness programs require pipeline operators to provide the following elements:

- Damage prevention awareness for excavators;
- Emergency plans for fire, police, and public officials; and
- Public education.

The Public Awareness Program includes elements for the education of the affected public, government organizations and excavators including, but not limited to:

- The 811 one-call notification system which is to be used prior to excavation as well as other damage prevention methods;
- The possible hazards associated with unintended releases from a gas pipeline facility;
- Physical indications of a pipeline release of gas;
- Public safety measures to be taken in the event of a pipeline gas release; and

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

STATE AND FEDERAL REGULATIONS	SDG&E: SAFETY-PLAN.6
--------------------------------------	---------------------------------

- Procedures to report a pipeline release.

The Public Awareness Program identifies specific audiences to be considered for targeted communications, the frequency of the communication for each audience, and the method of delivery. Many different audiences receive SDG&E communications, including:

- Customers;
- Excavators and land developers;
- Public Officials - school districts, city and county managers;
- Emergency officials;
- Residents and places of congregation along transmission lines;
- Residents within the distribution service territory; and
- Residents near compressor stations.

3.5.2. **Damage Prevention Program:** The purpose of the Damage Prevention Program is to avert gas incidents -- such as dig-ins to SDG&E's pipelines -- and thereby improve public safety and property protection through public education and outreach activities. SDG&E continues to promote awareness of the Underground Service Alert (811, "call-before-you dig") system by reaching out to contractors and the general public through meetings, mailers, bill inserts, the company website and other methods, so that gas lines are properly marked before excavation activities. Pipeline markers are to be accurate and visible. Excavation activity includes excavation, blasting, boring, tunneling, backfilling, the removal of aboveground structures by both explosive or mechanical means, and other earth moving operations.

3.5.3. **Control Room Management:** Gas Control monitors and/or controls pipeline facilities on a 24/7 basis. Gas Control personnel are Operator Qualified per 49 CFR 192 Subpart N and are to maintain pipeline pressures and gas flows within established safe limits while meeting customer supply demands.

In the event of an emergency, Gas Control personnel have the ability to stop the flow of gas to a given area, or reroute it, depending on the situation. Gas Control works with the Transmission Command Post, which communicates with the Emergency Operations Center and Gas Emergency Centers, to coordinate activities during an emergency. Gas Control personnel also participate in emergency drills. A fully functional back-up center is maintained and available for use during an emergency.

SDG&E has a control room management program that is integrated with other operating and emergency procedures. Key elements of the control room management plan include:

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

STATE AND FEDERAL REGULATIONS	SDG&E: SAFETY-PLAN.6
--------------------------------------	---------------------------------

- Definition of controllers' roles and responsibilities;
- Definition of information, tools, procedures, and processes controllers;
- A fatigue management program;
- An alarm management plan;
- A change management plan to address handling, approving, and implementing changes in pipeline equipment, monitoring, and operation;
- A means to incorporate operating experience into control room management procedures; and
- An established controller training program; compliance validation to meet federal and/or state agencies; and records and documentation that demonstrate compliance with plan mandates.

Portions of the plan's requirements went into effect in August 2011 with the remaining scheduled to take effect in August 2012. SDG&E will continue to take steps to meet plan requirements.

- 3.5.4. **Odorization:** In its native state natural gas is typically odorless. In compliance with regulations and as a primary safety measure, SDG&E adds chemical compounds to the gas. These chemical compounds produce the distinctive odor associated with natural gas and serve as a means to detect a gas leak. Odor strength is to be maintained at a level so that gas may be readily detectable. The odor level is to be monitored at least monthly at representative locations for verification of odorization adequacy.
- 3.5.5. **Population Density:** 49 CFR 192 requires that changes in population density, known as Location Class, be monitored for certain transmission pipelines. The SDG&E transmission pipeline system is modeled in Geographic Information System (GIS). The GIS uses geographic data, aerial photography, data collected in the field, publically available data sets and the identification of building and dwelling points to determine class location. Maps with class designations are used by operations personnel to look for changed conditions. Observed changes are to be recorded by marking up or redlining a location class map or completing company form designed to record such changes.
- 3.5.6. **Maximum Allowable Operating Pressure:** A maximum allowable operating pressure (MAOP) is established for each pipeline or piping system. The established MAOP cannot exceed the maximum pressure allowed by regulatory code as specified in 49 CFR §192.611 and 49 CFR §192.619 - 49 CFR §192.623 as applicable. Location Class, design, testing and operating history are all factors that can limit the MAOP of a pipeline or system.

The Pipeline Safety, Regulatory Certainty, and Job Creation Act of 2011 became Public Law 112-90 on January 3, 2012. This law, in part, requires gas transmission operators to verify records accurately reflect the physical and



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

STATE AND FEDERAL REGULATIONS	SDG&E: SAFETY- PLAN.6
--------------------------------------	--------------------------------------

operational characteristics of transmission pipeline in Class 3 and Class 4 locations and Class 1 and Class 2 high-consequence areas and then confirm the established MAOP. SDG&E has begun the records verification process and plans to complete the process in accordance with PHMSA's reporting requirements.



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

STATE AND FEDERAL REGULATIONS	SDG&E: SAFETY-PLAN.6
--------------------------------------	---------------------------------

NOTE: Do not alter or add any content from this page down; the following content is automatically generated.
Brief: Updated target dates on AGA table.

Document Profile Summary	
Contact Person:	Rivera, Joseph M.
Published On:	06/28/2013
Last Full Review Completed On:	
Document Status:	Active
Document Type:	MANUALS
Category (Prior FCD system only):	
If Merged, Merged To Document Number:	
Utility:	SDG&E
Department:	PI
Number of Common Document (if applicable):	
Contains OPQUAL Covered Task:	No
Part of SoCalGas O&M Plan:	No
Part of SDG&E O&M Plan:	No
O&M 49 CFR Codes & Impacted Sections of Document:	
Part of Non-O&M Parts 191-193 Plan	No
Non-O&M 49 CFR Codes & Impacted Sections of Document	
Part of Distribution IMP (DIMP)	No
DIMP 49 CFR Codes & Impacted Sections of Document:	
Part of Transmission IMP (TIMP)	No
TIMP 49 CFR Codes & Impacted Sections of Document:	
Indices/Binders in Which Document is Filed:	OSPSD
NOP Learning Module (LM) Training Code:	



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

CONTINUING OPERATIONS	SDG&E: SAFETY- PLAN.7
------------------------------	--------------------------------------

Table of Contents

1.	CONTINUING OPERATIONS AND CALIFORNIA PUBLIC UTILITIES CODE § 963 (b)(3), 961 (d)(3), (d)(4), and (d)(10).....	2
2.	SAFETY AS THE TOP PRIORITY.....	2
3.	SAFE AND RELIABLE STORAGE AND TRANSPORTATION	3
4.	SDG&E WORKFORCE SIZE, TRAINING, AND QUALIFICATIONS	4



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

CONTINUING OPERATIONS	SDG&E: SAFETY-PLAN.7
------------------------------	---------------------------------

1. CONTINUING OPERATIONS AND CALIFORNIA PUBLIC UTILITIES CODE § 963 (b)(3), 961 (d)(3), (d)(4), and (d)(10)

In D.12-04-010, the Commission identified the topic of continuing operations to meet the requirements California Public Utilities §963 (b)(3), §961 (d)(3), (d)(4), and (d)(10). These sections require that SDG&E’s Safety Plan achieve the following:

- § 963(b)(3) It is the policy of the state and the commission and each gas corporation place safety of the public and gas corporation employees as the top priority. The commission shall take all reasonable and appropriate actions necessary to carry out the safety priority policy of this paragraph consistent with the principle of just and reasonable cost-based rates.
- § 961(d)(3) Provide adequate storage and transportation capacity to reliably and safely deliver gas to all customers consistent with rules authorized by the commission governing core and noncore reliability and curtailment, including provisions for expansion, replacement, preventive maintenance, and reactive maintenance and repair of its commission-regulated gas pipeline facility.
- § 961(d)(4) Provide for effective patrol and inspection of the commission-regulated gas pipeline facility to detect leaks and other compromised facility conditions and to effect timely repairs.
- § 961(d)(10) Ensure an adequately sized, qualified, and properly trained gas corporation workforce to carry out the plan.

2. SAFETY AS THE TOP PRIORITY

SDG&E considers the health and safety of all employees and the general public to be the top priority. This is priority is demonstrated through the following statements that describe our approach to safety at SDG&E:

- Individual health and safety and the safety of others is not to be compromised. Safe work habits are the responsibility of every employee and the foundation of job performance evaluation.
- Occupational injuries and illnesses can be prevented. Identification and reporting of workplace hazards and potential hazards is the responsibility of every employee of SDG&E.
- Management takes an active role in implementing SDG&E’s health and safety programs as stated in the Injury Illness Prevention Program (IIPP) and staying aware of related workplace injuries.



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

CONTINUING OPERATIONS	SDG&E: SAFETY-PLAN.7
------------------------------	---------------------------------

- Management is responsible for providing a safe workplace and for promoting behaviors and providing safeguards which prevent accidents and injuries. Employees work together to use equipment in accordance with job training and safety instructions.
- SDG&E complies with applicable federal, state and local occupational health and safety regulations and implements these through training, company standards, the IIPP, and safety lesson plans.

3. SAFE AND RELIABLE STORAGE AND TRANSPORTATION

SDG&E has designed its integrated gas transmission system to meet design standards established by the Commission for core and noncore customer service. The SDG&E gas system is designed to provide service to core customers during a 1-in-35 year peak day condition, under which both firm and interruptible noncore transportation service is curtailed. The system is also designed to provide for continuous firm noncore transportation service under a 1-in-10 year cold day condition, during which only interruptible noncore transportation service is subject to curtailment. SDG&E utilizes detailed hydraulic models of the gas system to evaluate its capacity to meet these design standards, and identify improvements as necessary. Both design standards are expected to occur during the winter operating season when core customers' gas usage is the greatest.

In accordance with Commission Decision D.02-11-073, SDG&E provides its system capacity twice per year to the Commissions Energy Division (the most recent filing may be referenced to obtain SDG&E's capacity to serve customer demand during both the winter and summer operating seasons). SDG&E does not have any physical storage assets on its system. Pursuant to Commission Decision D.07-12-019, SoCalGas handles gas procurement for SDG&E's bundled core customers through a combined SoCalGas/SDG&E core procurement portfolio; including providing storage inventory, injection, and withdrawal rights for the combined core portfolio.

Information about transportation capacity is available through the ENVOY electronic bulletin board. The link to the ENVOY bulletin board is located at: <https://scgenvoy.sempra.com>

In accordance with SDG&E's policies, the Gas Transmission Planning Department and the Region Engineering Department continuously monitor customer demand on SDG&E's transmission and distribution system, both actual customer service requests and through the long-term demand forecast, and evaluates any changes in customer demand against the appropriate design standard to insure adequate capacity is available to serve. Depending upon the customer class, SDG&E has a variety of Commission-approved means to address any capacity deficiencies. When a deficiency is identified, possible solutions are considered, evaluated, and implemented according to SDG&E gas rules and tariffs. For example, a facility improvement that is required to serve a single noncore customer and which provides no benefit to other customers is funded entirely by that customer. Additionally, the SDG&E system is potentially capacity constrained for noncore demand. Pursuant to Commission Order, SDG&E conducts capacity open seasons for the allocation for noncore firm transportation capacity on its gas transmission system. To date, SDG&E has been able to satisfy all noncore firm service requests made during its open



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

CONTINUING OPERATIONS	SDG&E: SAFETY-PLAN.7
------------------------------	---------------------------------

seasons. Should SDG&E be unable to do so in the future, SDG&E may propose infrastructure improvement to provide additional transportation capacity for the noncore market.

Finally, the SDG&E gas system is continuously monitored to meet current customer demand. As part of the integrated gas transmission system with SoCalGas, the integrity of the SDG&E system falls under the responsibility of the Utility System Operator. Per SoCalGas Rule 41, Utility System Operation, the mission of the Utility Gas System Operator is to maintain system reliability and integrity. This rule provides information on the responsibilities performed to maintain system reliability by each of the SoCalGas departments that contribute to the System Operator function.

SDG&E will continue to perform operating and maintenance activities and make capital investments to support the company's pipeline system, and comply with applicable regulatory and environmental regulations.

4. PATROL AND INSPECTION

The patrol and inspection policies and programs discussed in Chapters 4 and 6 address the activities SDG&E shall perform to detect leaks and other compromised facility conditions and then effect timely repair.

5. SDG&E WORKFORCE SIZE, TRAINING AND QUALIFICATIONS

5.1. Workforce Size

SDG&E shall determine appropriate staffing levels to preserve the safety and integrity of its pipeline system.

Annual baseline employee staffing levels are determined during the annual planning process and contracts are maintained with qualified service providers to complete work and address variability in work demand throughout the year. As part of the planning process local district management reviews its projected work and workforce to adequately fulfill safety, compliance, maintenance, and construction obligations. If local management cannot fulfill these obligations, they raise the need as part of the resource allocation and funding process. During the year, as resource vacancies occur or as work levels significantly change, local management reassesses the need for the workforce and submits a request to fill the vacancies or add to staff. Resource allocation decisions consider employee levels and contractor availability.

Verification of appropriate staffing levels is determined by monitoring specified performance metrics and workloads. These performance metrics include: meeting emergency response goals (A1 response within 30/45 minutes) and compliance to distribution pipeline leakage code response times consistent with Company policy. The performance metrics used are reviewed monthly by Senior Management. Should SDG&E fall below performance goals, appropriate resource adjustments would be made.



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

CONTINUING OPERATIONS	SDG&E: SAFETY-PLAN.7
-----------------------	----------------------

Employees in safety-sensitive positions are trained to handle emergencies. Employees are crossed-trained as needed in various assignments to perform a variety of duties that allow a flexible workforce to meet sudden changes in work demands. The company assesses its workforce requirements on an ongoing basis (such as an annual planning exercise) to develop hiring and development plans and budgets to supplement or replenish the workforce as necessary to sustain the safety and integrity of the pipeline system.

The Company uses contractors, as necessary and in compliance with bargaining agreements, so that sufficient overall resources are deployed to address maintenance and construction. SDG&E shall continue to require that contractor employees undergo training and meet specific compliance requirements to perform work on company pipelines and facilities. Contractors shall be monitored to see that they perform their responsibilities consistent with company standards and contract requirements.

5.2. Training

Safety is rooted in all phases of field services training. It starts with the formalized training that employees receive when they begin their career, emphasized on the job, and then re-emphasized during training they receive as they advance to new jobs.

Training courses are delivered to each function/classification in all field job progressions and vary from two to seven weeks for entry-level positions. Courses are taught utilizing various training methods and delivery by a centralized field training team with most of the instructors having served as technicians at some point in their careers. These instructors are to convey consistent safety messages and confirm understanding of the classroom training by observing employees in simulated situations.

Integrated in the training courses are the Operator Qualification tasks, as required by the DOT. The documentation for these qualifications and records are closely monitored and employees are re-trained or updated whenever significant changes occur in a task regulation or when they are required to re-qualify as prescribed by the DOT.

Emergency response is covered within the training courses for classifications that have any activities or functions in this area. The classifications include Working Foreman, Welder, Gas Technician B, Gas Technician A, Service Technician, Locator, Laborer, Regulator Technician, and Gas Patroller, Lead Construction Technician, Energy Technician Residential and Distribution, Construction Technician, Pipeline Technician, and Dispatch Specialist. Employees are required to annually review policies and procedures so that they understand emergency response guidelines and procedures

SDG&E participates in industry forums, validates that training activities are consistent with regulatory requirements, and identifies when new training opportunities exist. SDG&E has a training curriculum that tests employees' skills in identifying and repairing gas leaks and other real-life situations through simulation exercises. These exercises are also included in first



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

CONTINUING OPERATIONS

SDG&E: SAFETY-
PLAN.7

responder training. In addition, the company implemented a technical skills training class to help employees new to management become more effective in addressing these situations as supervisors and managers.

As part of the Company's continuing education effort, a hands-on training course for supervisors on high-pressure gas pipeline work is being developed.

5.3. Qualification of Pipeline Personnel

All pipeline operators shall be required to have a written Operator Qualification program so that individuals (employees and contractors) performing DOT-covered tasks are qualified. Such programs shall be reviewed by SDG&E prior to performing on company jobs or pipeline facilities.

The Operator Qualification Program requires that employees are evaluated every five years. SDG&E's training frequency conforms to these requirements and the results of the evaluations are recorded -- demonstrating employees' knowledge, skills and abilities of the job requirements and that they are qualified to perform the required tasks. If employees don't pass, they are not allowed to perform that activity until they have been successfully re-trained and re-qualified. Essentially, any employee who inspects or touches a pipe -- ranging from meter readers to customer services field, distribution and transmission personnel -- need to be operator-qualified.

The Operator Qualification Program also requires that contractors' knowledge, training and skills conform to the job requirements and that they are qualified to perform the required tasks. An external vendor who is one of the nation's leaders in regulatory compliance for Operator Qualification, has been retained to provide training, testing, Operator Qualification and record retention for our pipeline contractors.

5.4. Anti-Drug and Alcohol Misuse Prevention Plan

The purpose of the Anti-Drug and Alcohol Misuse Prevention Plan is to prevent accidents that could result from the use of controlled substances and misuse of alcohol, thereby reducing fatalities, injuries and property damage. The Company's plan and policies are designed to comply with state and federal law.

If performing DOT-covered functions, a contractor shall also have an Anti-Drug and Alcohol Misuse Prevention Program or work with a third-party to enforce the program and conduct random testing. If contractors are involved in environmentally sensitive or other potentially hazardous projects, they may be required to provide additional documentation, such as an Environmental, Safety, and Health Plan; Fire Prevention and Protection Plan; and training and certification materials.



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

CONTINUING OPERATIONS	SDG&E: SAFETY- PLAN.7
------------------------------	--------------------------------------



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

CONTINUING OPERATIONS	SDG&E: SAFETY-PLAN.7
------------------------------	---------------------------------

NOTE: Do not alter or add any content from this page down; the following content is automatically generated.
Brief: Added wording to reference commission decisions related to storage and transmission capacity and added wording about workforce requirements

Document Profile Summary	
Contact Person:	Ayala, Frank B.
Published On:	06/28/2013
Last Full Review Completed On:	
Document Status:	Active
Document Type:	MANUALS
Category (Prior FCD system only):	
If Merged, Merged To Document Number:	
Utility:	SDG&E
Department:	PI
Number of Common Document (if applicable):	
Contains OPQUAL Covered Task:	No
Part of SoCalGas O&M Plan:	No
Part of SDG&E O&M Plan:	No
O&M 49 CFR Codes & Impacted Sections of Document:	
Part of Non-O&M Parts 191-193 Plan	No
Non-O&M 49 CFR Codes & Impacted Sections of Document	
Part of Distribution IMP (DIMP)	No
DIMP 49 CFR Codes & Impacted Sections of Document:	
Part of Transmission IMP (TIMP)	No
TIMP 49 CFR Codes & Impacted Sections of Document:	
Indices/Binders in Which Document is Filed:	OSPSD
NOP Learning Module (LM) Training Code:	



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

EMERGING ISSUES	SDG&E: SAFETY- PLAN.8
------------------------	--------------------------------------

Table of Contents

1. EMERGING ISSUES AND CALIFORNIA PUBLIC UTILITIES CODE § 961 (d)(11)	2
2. COLLABORATION WITH THE CALIFORNIA PUBLIC UTILITIES COMMISSION	2



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

EMERGING ISSUES	SDG&E: SAFETY- PLAN.8
------------------------	--------------------------------------

1. EMERGING ISSUES AND CALIFORNIA PUBLIC UTILITIES CODE § 961 (d)(11)

In D.12-04-010, the Commission identified the topic of emerging issues to meet the requirements California Public Utilities § 961 (d)(11). This section requires that the safety plan include the following:

- § 961(d)(11) Any additional matter that the commission determines should be included in the plan.

2. SDG&E AND EMERGING ISSUES

SDG&E stays current on emerging issues within the industry through active participation in industry associations and open communication with legislative and regulatory groups. Chapter 6 of this Safety Plan identifies safety enhancement actions the industry has committed to and SDG&E's targeted date of implementation.

In addition, SDG&E is actively addressing the emerging issues of the grandfathering of provisions in 49 CFR Part 192 and the installation of remote-controlled and automatic shutoff valves as part of its Pipeline Safety Enhancement Plan included in Chapter 4 of this Safety Plan. Similarly, SDG&E is addressing the replacement of pipe, including polyethylene made with Aldyl-A resin, as part of its Distribution Integrity Management Program (DIMP).

3. COLLABORATION WITH THE CALIFORNIA PUBLIC UTILITIES COMMISSION

SDG&E shall continue to work in collaboration with the Commission and other regulatory authorities, and, stay abreast of industry best practices in order to address those emerging issues that pose hazards and not yet within this Safety Plan.



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

EMERGING ISSUES	SDG&E: SAFETY-PLAN.8
------------------------	---------------------------------

SUMMARY OF DOCUMENT CHANGES & FILING INSTRUCTIONS	
Brief: Initial Publication in response to CPUC Decision 12-04-010	
Circulation Code	Filing Instructions

DOCUMENT PROFILE SUMMARY	
NOTE: Do not make any changes to this table. Data in this table is automatically posted during publication.	
Document Number:	SP.8-SD
Document Title:	Emerging Issues
Contact Person:	Joe Rivera
Current Revision Date:	12/21/2012
Last Full Review Completed On:	
Document Status:	Active
Document Type:	MANUALS
Category (FCD Only):	
If Merged, Merged to:	
Incoming Materials Inspection Required (MSP only):	
Company:	SDG&E
Common Document (if applicable):	
Contains OPQUAL Covered Task:	No
Part of SoCalGas O&M Plan (reviewed annually):	No
Part of SDG&E O&M Plan (reviewed annually):	No
O&M 49 CFR Codes & Impacted Sections of Document:	
Part of Transmission IMP (TIMP):	No
TIMP 49 CFR Codes & Impacted Sections:	
Part of Distribution IMP (DIMP):	No
Additional 49 CFR Codes Covered by Document:	
Learning Module (LM) Training Code:	



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

1. NATURAL GAS SYSTEM OPERATOR SAFETY PLAN APPENDIX

- 1.1. In Decision (D.)12-04-010, the Commission stated gas operator safety plans “may reference existing components or include Exhibits or Attachments that cross-reference to other existing utility documentation.” SDG&E has numerous existing safety programs, plans, and procedures in place that address specified infrastructure or areas of company activity. This Safety Plan provides an overarching safety strategy that encompasses the plans, programs, and policies referenced in this document and affirm SDG&E’s commitment to safety. The following matrix is a guide to the documents making up these plans, programs, and policies. Documents have been identified by their policy number and title and cross-referenced to the Safety Plan chapter.



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

1.2. List of Policy Documents By Chapter

Chapter Number	Chapter Title	Policy	Policy Title
4	Safety Systems	190SD	Operator Qualification Task Change Communication
4	Safety Systems	2110SD	Quality Assurance for Gas Standards Related to Integrity Management Program
4	Safety Systems	2111SD	Management of Change - Request & Approval
4	Safety Systems	2112SD	Pipeline Database Update
4	Safety Systems	3084SD	Corrosion Tests General Data Sheet
4	Safety Systems	3222SD	Design Data Sheet (DDS)
4	Safety Systems	3506SD	Notice of Shutdown / Operational Deviation
4	Safety Systems	4090SD	100mV Polarization Form
4	Safety Systems	4091SD	Wax Casing Data Collection Form
4	Safety Systems	677-1SD	Pipeline Condition and Maintenance Report
4	Safety Systems	76-72	Odorant - 50/50 TBM/THT
4	Safety Systems	76-73	Thiophane Odorant
4	Safety Systems	ACF	Assessment Completion Form
4	Safety Systems	C5050	Order Priority
4	Safety Systems	C5140	Shutting-Off Gas Meters
4	Safety Systems	C5160	Gas Meter Turn-On Procedure
4	Safety Systems	C5190	Emergency Response Procedures for Gas Incidents
4	Safety Systems	C5200	Restoration of Service Due to Gas Outage
4	Safety Systems	C5260	Locking and Blanking of a Gas Meter Set
4	Safety Systems	C5390	Gas Curb Meter and Atmospheric Corrosion Inspection and Maintenance
4	Safety Systems	C5450	Pressure Regulation - Residential and Commercial
4	Safety Systems	C5480	Purging Service Risers



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
4	Safety Systems	C5490	Working in the Presence of Escaping Gas
4	Safety Systems	C5500	Reportable Gas Incidents
4	Safety Systems	C5510	Leak Investigation
4	Safety Systems	C5520	Houseline Leakage on Master-Metered Systems
4	Safety Systems	C5660	Purging Gas Meters and Customer Houselines
4	Safety Systems	CRMP1	Control Room Management Plan
4	Safety Systems	CRMP6SD	Gas Control Management of Change
4	Safety Systems	D7103	Gas Meter Location
4	Safety Systems	D7107	Free Standing Header Support
4	Safety Systems	D7109	Gas Service Location
4	Safety Systems	D7110	Abandonment of Gas Service and Gas Light Tap Assemblies
4	Safety Systems	D7113	Evaluation and Disposition of Inactive Services
4	Safety Systems	D7115	Barricades for Gas Meter Sets
4	Safety Systems	D7117	Installing and Turn on Responsibility of Gas Meters
4	Safety Systems	D7121	Locking and Blanking of Gas Meter Sets
4	Safety Systems	D7123	Service Regulator Vent Extensions
4	Safety Systems	D7125	Service Regulators in Curb Meter Boxes
4	Safety Systems	D7127	Curb Meter Box Excavation and Riser Replacement
4	Safety Systems	D7203	Polyethylene Quick Reference
4	Safety Systems	D7211	Handling and Storage of Polyethylene Material
4	Safety Systems	D7213	Polyethylene Heater - Temperature Measurement and Adjustment
4	Safety Systems	D7221	Socket Fusion for Polyethylene
4	Safety Systems	D7222	PE Saddle Fusions



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
4	Safety Systems	D7225	Tapping Polyethylene Pipelines
4	Safety Systems	D7226	Magic Box - 2"-4"
4	Safety Systems	D7227	Butt Fusion Polyethylene
4	Safety Systems	D7247	Service Risers for Polyethylene
4	Safety Systems	D7249	Valve Installation for Polyethylene
4	Safety Systems	D7255	Casing Assemblies - Plastic Carrier Pipe
4	Safety Systems	D7265	Pneumatic Test Requirements for Pipelines Operating at 60 PSIG or Less
4	Safety Systems	D7275	Repair of Polyethylene
4	Safety Systems	D7283	RFS of Polyethylene
4	Safety Systems	D7325	Service Punch Tee
4	Safety Systems	D7371	Leak Repair Methods for Steel Distribution Pipelines
4	Safety Systems	D7381	Abandonment or Inactivation of Gas Distribution Pipelines
4	Safety Systems	D7383	Steel Pipe Squeezer 6" through 12"
4	Safety Systems	D7905	Minimum Requirements for Pressure Control Operations on Distribution Pipeline Systems
4	Safety Systems	D7911	Purging of Distribution Gas Lines of 60 PSIG
4	Safety Systems	D7912	Purging and Locking Service Risers
4	Safety Systems	D8145	Gas Leakage Surveys - Distribution
4	Safety Systems	D8146	Replacement Criteria for Distribution Mains
4	Safety Systems	D8147	Services - Repair vs. Replace Decisions
4	Safety Systems	D8164	Pressure Monitoring of Distribution Systems
4	Safety Systems	D8167	Valve Inspection and Maintenance - Distribution
4	Safety Systems	D8189	Temporary LNG Facility
4	Safety Systems	D8305	Trenchless Construction Methods



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
4	Safety Systems	D9102	Gas Mapping and Records
4	Safety Systems	D9157	Meter Selection and Spacing Requirements
4	Safety Systems	D9165	Design of Gas Pipeline in Sloping Terrain
4	Safety Systems	DIMP1	Introduction
4	Safety Systems	DIMP2	System Knowledge
4	Safety Systems	DIMP3	Threat Identification
4	Safety Systems	DIMP4	Evaluate and Rank Risk
4	Safety Systems	DIMP5	Identify and Implement Measures to Address Risk
4	Safety Systems	DIMP6	Measure Performance, Monitor Results and Evaluate Effectiveness
4	Safety Systems	DIMP7	Quality Assurance Plan
4	Safety Systems	DIMP8	Periodic Evaluation and Improvement
4	Safety Systems	DIMP9	Report Results
4	Safety Systems	DIMPA	Terms, Definitions and Acronyms
4	Safety Systems	DIMPB	Threat Matrix and Data Model
4	Safety Systems	DIMPD	ICAM Content
4	Safety Systems	DIMPE	Program's Activity to Address Risk - PAAR
4	Safety Systems	F17-1	Annual Performance Measures
4	Safety Systems	F4-1	Change of Threat Form
4	Safety Systems	F8-1	Baseline Assessment Plan Revisions Log
4	Safety Systems	G7008	Material Evaluation and Implementation
4	Safety Systems	G7009	Material Specifications and Purchase Descriptions
4	Safety Systems	G7011	Standard Specification for Natural and Substitute Fuel Gases
4	Safety Systems	G7013	Qualification of New Construction Contractors



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
4	Safety Systems	G7313	Steel Pipe Yield, Design Properties and Design Pressure Tables
4	Safety Systems	G7314	Steel Pipe - Selection
4	Safety Systems	G7316	Identification of Steel Pipe and Butt Weld Fittings
4	Safety Systems	G7321	Steel Butt-Weld Fittings - Selection Guide
4	Safety Systems	G7350	Casing Assemblies - Steel Carrier Pipe
4	Safety Systems	G7351	Wear Pads and Bands for Steel Gas Piping
4	Safety Systems	G7353	Branch Connection, Steel - Selection Guide
4	Safety Systems	G7361	Pipeline Testing Requirements
4	Safety Systems	G7362	Strength Testing - Pipelines and Facilities
4	Safety Systems	G7365	Pneumatic Test Requirement for Pipelines Operating Above 60 PSIG
4	Safety Systems	G7369	Hydrostatic Test Requirements
4	Safety Systems	G7371	Repair of Defects in Steel Transmission Piping
4	Safety Systems	G7372	Repair of Defects on an Operating Pipeline by Grinding
4	Safety Systems	G7373	Repair of Non-Leaking Defects on an Operating Pipeline with a Band or Sleeve
4	Safety Systems	G7375	Approved Protective Coatings for Below Ground Corrosion Control
4	Safety Systems	G7376	Field Tape Wrapping Requirements
4	Safety Systems	G7377	Field Application of Fusion Bonded Epoxy to Joints and Field Repair of Fusion Bonded Epoxy Coating
4	Safety Systems	G7378	External Surface Preparation and Field-Applied Coating for Above Ground Pipe Spans
4	Safety Systems	G7379	External Surface Preparation and Field Applied Coatings for Buried Pipelines
4	Safety Systems	G7380	Field Application of Grease Coating
4	Safety Systems	G7381	External Surface Preparation and Shop-Applied Coatings for Steel Tanks and Vessels



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
4	Safety Systems	G7382	Surface Preparation and Shop Applied Coating for General Steel (Primer and Topcoat)
4	Safety Systems	G7383	Surface Preparation and Field-Applied Coating for Interior of Storage Tanks and Vessels
4	Safety Systems	G7384	External Surface Preparation and Field-Applied Coatings for New and Old Steel in a Marine Environment
4	Safety Systems	G7385	External Surface Preparation and Shop-Applied Coating for High Corrosion Service Areas
4	Safety Systems	G7386	Internal Surface Preparation and Shop-Applied Coating for Drip Legs
4	Safety Systems	G7451	Prevention of Damage to Subsurface Installations
4	Safety Systems	G7507	Map Maintenance Requirements for High Pressure Gas Lines
4	Safety Systems	G7603	Valve Usage and Selection Guide
4	Safety Systems	G7643	Excess Flow Valve (EFV) - Installation and Operation
4	Safety Systems	G7665	Flanges - Selection, Torque and Installation Requirements
4	Safety Systems	G7803	General Welding Requirements
4	Safety Systems	G7805	Welding Field Guide
4	Safety Systems	G7809	Qualification and Re-Qualification of Welders
4	Safety Systems	G7815	Inspection and Testing of Welds on Company Steel Piping
4	Safety Systems	G7909	General Purging Procedures
4	Safety Systems	G8001	Criteria for Cathodic Protection
4	Safety Systems	G8002	100mV Polarization Criteria
4	Safety Systems	G8003	Design and Application of Cathodic Protection
4	Safety Systems	G8009	Electrical Test Stations & Bond Assembly
4	Safety Systems	G8013	Cathodic Protection - Mixed Piping Systems



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
4	Safety Systems	G8014	Magnesium Anodes for Corrosion Control
4	Safety Systems	G8015	Selection and Installation of Rectifiers and Impressed Current Anodes
4	Safety Systems	G8019	Operation and Maintenance of Cathodic Protection Facilities
4	Safety Systems	G8021	Cathodic Protection - Inspection of Exposed Pipe
4	Safety Systems	G8022	System Protection - Inspection of Meter Set Assemblies
4	Safety Systems	G8023	MAOP Evaluation of Corroded Pipe
4	Safety Systems	G8024	Measurement of Remaining Wall Thickness
4	Safety Systems	G8025	Internal Corrosion Management Plan
4	Safety Systems	G8026	External and Internal Transmission Pipeline Inspection
4	Safety Systems	G8027	Cathodic Protection - Electrical Isolation
4	Safety Systems	G8029	Record Keeping - Corrosion Control
4	Safety Systems	G8031	Internal Corrosion Design and Construction Considerations
4	Safety Systems	G8035	Interference - Stray Electrical Current
4	Safety Systems	G8041	Cathodic Protection - Instruments and Testing Equipment
4	Safety Systems	G8042	Copper Sulfate Electrode
4	Safety Systems	G8107	Aboveground Survey Plan
4	Safety Systems	G8108	Alternating Current Attenuation Survey
4	Safety Systems	G8109	Close Interval Survey
4	Safety Systems	G8110	Voltage Gradient Survey
4	Safety Systems	G8111	Soil Resistivity Survey
4	Safety Systems	G8112	Inspection of Cased Pipe
4	Safety Systems	G8113	Operator Qualification Program
4	Safety Systems	G8114	Self-Audit Guidelines - Pipeline Integrity Program



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
4	Safety Systems	G8115	Changing Maximum Allowable Operating Pressure and Maximum Operating Pressure
4	Safety Systems	G8116	Pipeline and Related Definitions
4	Safety Systems	G8121	Location Class - Determination and Changes
4	Safety Systems	G8122	Prevention of Damage to Company Facilities
4	Safety Systems	G8123	Underground Service Alert and Temporary Marking
4	Safety Systems	G8129	Odorization
4	Safety Systems	G8135	Leakage Priority Classification
4	Safety Systems	G8140	Pipeline Patrol
4	Safety Systems	G8141	Pipeline Markers
4	Safety Systems	G8142	Inspection of Pipelines on Bridges, Spans and in Unstable Earth
4	Safety Systems	G8145	Leakage Surveys - Transmission Lines
4	Safety Systems	G8147	Planning Shutdowns On High Pressure Gas Facilities
4	Safety Systems	G8159	Distribution Pressure Regulating and Monitoring Station & Vault - Inspection, Maintenance and Settings
4	Safety Systems	G8160	Pipeline Cleaning Standard
4	Safety Systems	G8161	In-Line Inspection Surveys Standard
4	Safety Systems	G8162	Assessment of Pipeline Integrity Using Guided Wave UT
4	Safety Systems	G8163	In-Line Inspection GPS Control Survey
4	Safety Systems	G8164	Global Positioning System (GPS) Process
4	Safety Systems	G8165	Dry Gas - Internal Corrosion Direct Assessment
4	Safety Systems	G8166	Scheduling Remediation
4	Safety Systems	G8168	Immediate Repair Conditions - Transmission Pipelines
4	Safety Systems	G8169	Prevention of Accidental Ignition



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
4	Safety Systems	G8170	Operations Technology Procedure for HCA Segment Identification
4	Safety Systems	G8171	New and Upgraded Pipelines - CPUC Notification
4	Safety Systems	G8172	Data Gathering and Integration
4	Safety Systems	G8173	Threat Identification
4	Safety Systems	G8174	Risk Assessment of High Consequence Areas
4	Safety Systems	G8178	Baseline Assessment Plan
4	Safety Systems	G8179	External Corrosion Direct Assessment Procedure
4	Safety Systems	G8180	In-Line Inspection (ILI) Procedure
4	Safety Systems	G8184	Bellhole Inspection Requirements
4	Safety Systems	G8185	Casing Wax Fill
4	Safety Systems	G8186	Preventive and Mitigative Measures
4	Safety Systems	G8187	Continual Evaluation
4	Safety Systems	G8188	Stress Corrosion Cracking Direct Assessment Procedure
4	Safety Systems	G8198	Field Sampling and Analysis of Liquids and Solids/Sludge
4	Safety Systems	G8202	Field Guidelines - Emergency Incident Distribution / Customer Service
4	Safety Systems	G8204	Emergency Response Procedures for Gas Incidents - Distribution
4	Safety Systems	G8205	Emergency Response Procedures for Gas Incidents - Transmission
4	Safety Systems	G8206	Emergency Materials List for Gas Incidents
4	Safety Systems	G8208	Natural Disaster or Major Emergency - Employee Instructions
4	Safety Systems	G8210	Contact with Fire and Police Departments and Public Agencies
4	Safety Systems	G8216	Incident Command System (ICS) for Emergency Incidents
4	Safety Systems	G8221	Gas Incident Notification
4	Safety Systems	G8222	Pipeline Incident Reports to CPUC and DOT



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
4	Safety Systems	G8223	Pipeline Safety Reports to CPUC and DOT
4	Safety Systems	G8225	Investigation of Gas Incidents
4	Safety Systems	G8229	Region Reports of Safety-Related Pipeline Conditions
4	Safety Systems	G8231	Public Awareness Program
4	Safety Systems	G8237	Restoration of Service Procedures
4	Safety Systems	G8241	Responsibilities for Maintenance of the Downtown San Diego Emergency Curtailment Map
4	Safety Systems	G8308	Contractor Safety Program
4	Safety Systems	G8320	Working in Flammable Atmospheres
4	Safety Systems	G8365	Respiratory Protection Program
4	Safety Systems	G8603	Designs for Pipelines in Bridges
4	Safety Systems	G8605	Request for Pipeline Design Assistance
4	Safety Systems	G8704	Environmental Training
4	Safety Systems	G8706	Environmental Inspections, Search Warrants, and Internal Notifications
4	Safety Systems	G9103	Pressure Terminology and Establishment of Pressure Levels for Piping
4	Safety Systems	G9105	Design Factors for Steel Piping Systems
4	Safety Systems	G9111	Economic Evaluation for Pipeline Designs in High Consequence Areas
4	Safety Systems	QAP-9	IMP Audit Summary Form
4	Safety Systems	SD5153	Pipeline Location Information
4	Safety Systems	T7320	Requirements for Designing Pipelines to Accommodate Smart Pigs
4	Safety Systems	T7375	Repair of Transmission Pipelines
4	Safety Systems	T7381	Abandonment, Conversion and Reinstatement of Transmission Pipelines
4	Safety Systems	T7413	Minimum Trench Requirements for Transmission Pipelines
4	Safety Systems	T8105	Control Microsystems SCADAPACK



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
4	Safety Systems	T8129	Supplemental Odorization of Gas at Border Stations
4	Safety Systems	T8144	MAXIMO - Transmission
4	Safety Systems	T8147	Compressor Stations - Operation and Maintenance
4	Safety Systems	T8148	Testing and Maintaining Compressor Station Emergency Shutdown Systems
4	Safety Systems	T8149	Compressor Station Relief Valves
4	Safety Systems	T8151	Hold-Out Procedures for Equipment Isolation
4	Safety Systems	T8155	Fire Prevention and Protection - Transmission
4	Safety Systems	T8165	Gas Transmission System Relief Valves
4	Safety Systems	T8166	Identification Numbers for Pipeline Valves - Transmission
4	Safety Systems	T8167	Valve Inspection and Maintenance - Transmission
4	Safety Systems	T8171	Abnormal Operations - Transmission
4	Safety Systems	TIMP.0	Table of Contents
4	Safety Systems	TIMP.1	Introduction
4	Safety Systems	TIMP.10	Remediation
4	Safety Systems	TIMP.11	Minimizing Environmental & Safety Risks
4	Safety Systems	TIMP.12	Preventive and Mitigative Measures
4	Safety Systems	TIMP.13	Continual Evaluation
4	Safety Systems	TIMP.14	Management of Change
4	Safety Systems	TIMP.15	Quality Assurance Plan
4	Safety Systems	TIMP.16	Record Keeping
4	Safety Systems	TIMP.17	Performance Plan
4	Safety Systems	TIMP.19	Communications Plan
4	Safety Systems	TIMP.20	Regulatory Interaction



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
4	Safety Systems	TIMP.3	HCA Identification
4	Safety Systems	TIMP.4	Data Gathering and Threat Identification
4	Safety Systems	TIMP.5	Risk Assessment
4	Safety Systems	TIMP.8	Baseline Assessment Plan
4	Safety Systems	TIMP.9	Integrity Assessments
4	Safety Systems	TIMP.A	Terms, Definitions and Acronymns
5	Emergency Response	C5050	Order Priority
5	Emergency Response	C5150	Pardon the Interruption
5	Emergency Response	C5190	Emergency Response Procedures for Gas Incidents
5	Emergency Response	C5200	Restoration of Service Due to Gas Outage
5	Emergency Response	C5490	Working in the Presence of Escaping Gas
5	Emergency Response	C5500	Reportable Gas Incidents
5	Emergency Response	C5510	Leak Investigation
5	Emergency Response	C5630	Power Outage Notification
5	Emergency Response	C5640	Verify Customer Generator Operation (VGEN)
5	Emergency Response	G8137	Underground Leak Investigation
5	Emergency Response	G8139	Company Facility Underground Odor Assessment
5	Emergency Response	G8147	Planning Shutdowns On High Pressure Gas Facilities
5	Emergency Response	G8168	Immediate Repair Conditions - Transmission Pipelines
5	Emergency Response	G8169	Prevention of Accidental Ignition
5	Emergency Response	G8202	Field Guidelines - Emergency Incident Distribution / Customer Service
5	Emergency Response	G8204	Emergency Response Procedures for Gas Incidents - Distribution
5	Emergency Response	G8205	Emergency Response Procedures for Gas Incidents - Transmission



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
5	Emergency Response	G8206	Emergency Materials List for Gas Incidents
5	Emergency Response	G8208	Natural Disaster or Major Emergency - Employee Instructions
5	Emergency Response	G8210	Contact with Fire and Police Departments and Public Agencies
5	Emergency Response	G8215	Field Services (Distribution) On-duty Supervisor Responsibilities
5	Emergency Response	G8216	Incident Command System (ICS) for Emergency Incidents
5	Emergency Response	G8221	Gas Incident Notification
5	Emergency Response	G8222	Pipeline Incident Reports to CPUC and DOT
5	Emergency Response	G8223	Pipeline Safety Reports to CPUC and DOT
5	Emergency Response	G8225	Investigation of Gas Incidents
6	State and Federal Regulations	190SD	Operator Qualification Task Change Communication
6	State and Federal Regulations	3222SD	Design Data Sheet (DDS)
6	State and Federal Regulations	3222SD	Design Data Sheet (DDS)
6	State and Federal Regulations	C5050	Order Priority
6	State and Federal Regulations	C5160	Gas Meter Turn-On Procedure
6	State and Federal Regulations	C5190	Emergency Response Procedures for Gas Incidents
6	State and Federal Regulations	C5200	Restoration of Service Due to Gas Outage



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
6	State and Federal Regulations	C5260	Locking and Blanking of a Gas Meter Set
6	State and Federal Regulations	C5390	Gas Curb Meter and Atmospheric Corrosion Inspection and Maintenance
6	State and Federal Regulations	C5450	Pressure Regulation - Residential and Commercial
6	State and Federal Regulations	C5480	Purging Service Risers
6	State and Federal Regulations	C5490	Working in the Presence of Escaping Gas
6	State and Federal Regulations	C5500	Reportable Gas Incidents
6	State and Federal Regulations	C5510	Leak Investigation
6	State and Federal Regulations	C5520	Houseline Leakage on Master-Metered Systems
6	State and Federal Regulations	C5660	Purging Gas Meters and Customer Houselines
6	State and Federal Regulations	C5710	Back Flow Protection - Regulators and Check Valves
6	State and Federal Regulations	CRMP1	Control Room Management Plan
6	State and Federal Regulations	CRMP6	Gas Control Management of Change



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
6	State and Federal Regulations	CRMP6SD	Gas Control Management of Change
6	State and Federal Regulations	D7103	Gas Meter Location
6	State and Federal Regulations	D7107	Free Standing Header Support
6	State and Federal Regulations	D7109	Gas Service Location
6	State and Federal Regulations	D7110	Abandonment of Gas Service and Gas Light Tap Assemblies
6	State and Federal Regulations	D7113	Evaluation and Disposition of Inactive Services
6	State and Federal Regulations	D7115	Barricades for Gas Meter Sets
6	State and Federal Regulations	D7117	Installing and Turn on Responsibility of Gas Meters
6	State and Federal Regulations	D7121	Locking and Blanking of Gas Meter Sets
6	State and Federal Regulations	D7123	Service Regulator Vent Extensions
6	State and Federal Regulations	D7125	Service Regulators in Curb Meter Boxes
6	State and Federal Regulations	D7125	Service Regulators in Curb Meter Boxes



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
6	State and Federal Regulations	D7127	Curb Meter Box Excavation and Riser Replacement
6	State and Federal Regulations	D7203	Polyethylene Quick Reference
6	State and Federal Regulations	D7204	PE Fusion Card
6	State and Federal Regulations	D7211	Handling and Storage of Polyethylene Material
6	State and Federal Regulations	D7214	Joining Polyethylene with Mechanical Fittings
6	State and Federal Regulations	D7221	Socket Fusion for Polyethylene
6	State and Federal Regulations	D7222	PE Saddle Fusions
6	State and Federal Regulations	D7225	Tapping Polyethylene Pipelines
6	State and Federal Regulations	D7227	Butt Fusion Polyethylene
6	State and Federal Regulations	D7233	Electrofusion for Polyethylene
6	State and Federal Regulations	D7237	Transitions : Polyethylene to Steel
6	State and Federal Regulations	D7241	Direct Burial of Polyethylene



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
6	State and Federal Regulations	D7247	Service Risers for Polyethylene
6	State and Federal Regulations	D7249	Valve Installation for Polyethylene
6	State and Federal Regulations	D7252	Service Head Adapter - 3/4 INCH
6	State and Federal Regulations	D7255	Casing Assemblies - Plastic Carrier Pipe
6	State and Federal Regulations	D7257	Tracer Wire Installation for Polyethylene
6	State and Federal Regulations	D7265	Pneumatic Test Requirements for Pipelines Operating at 60 PSIG or Less
6	State and Federal Regulations	D7275	Repair of Polyethylene
6	State and Federal Regulations	D7283	RFS of Polyethylene
6	State and Federal Regulations	D7293	Qualification and Re-Qualification Requirements for Polyethylene Fitters
6	State and Federal Regulations	D7303	General Requirements - Steel Distribution System
6	State and Federal Regulations	D7321	Service Connections
6	State and Federal Regulations	D7325	Service Punch Tee



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
6	State and Federal Regulations	D7371	Leak Repair Methods for Steel Distribution Pipelines
6	State and Federal Regulations	D7381	Abandonment or Inactivation of Gas Distribution Pipelines
6	State and Federal Regulations	D7403	Underground Distribution (UD) Trenches and Utility Positioning
6	State and Federal Regulations	D7411	Trench Excavation Requirements for 60-400 PSIG MAOP Distribution Mains
6	State and Federal Regulations	D7412	Excavation Requirements for Trench with Two Distribution Mains
6	State and Federal Regulations	D7427	Standard Gas Main Positions
6	State and Federal Regulations	D7461	Gas Facilities Box (Inside Dimensions 2' X 3')
6	State and Federal Regulations	D7465	Prefabricated Vaults - Design and Selection Guide
6	State and Federal Regulations	D7711	Regulator Station Design and Planning
6	State and Federal Regulations	D7715	Control Piping
6	State and Federal Regulations	D7905	Minimum Requirements for Pressure Control Operations on Distribution Pipeline Systems
6	State and Federal Regulations	D7911	Purging of Distribution Gas Lines of 60 PSIG



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
6	State and Federal Regulations	D7912	Purging and Locking Service Risers
6	State and Federal Regulations	D8145	Gas Leakage Surveys - Distribution
6	State and Federal Regulations	D8146	Replacement Criteria for Distribution Mains
6	State and Federal Regulations	D8164	Pressure Monitoring of Distribution Systems
6	State and Federal Regulations	D8167	Valve Inspection and Maintenance - Distribution
6	State and Federal Regulations	D8167	Valve Inspection and Maintenance - Distribution
6	State and Federal Regulations	D8305	Trenchless Construction Methods
6	State and Federal Regulations	D8310	Polyethylene Pipe Inserted in Metal Casings
6	State and Federal Regulations	D9102	Gas Mapping and Records
6	State and Federal Regulations	D9103	Terms and Definitions
6	State and Federal Regulations	D9131	Design of Polyethylene Services
6	State and Federal Regulations	D9135	Mains: Fittings and Fitting Selection



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
6	State and Federal Regulations	D9157	Meter Selection and Spacing Requirements
6	State and Federal Regulations	D9183	Excess Flow Valve and Service Pipe Sizing
6	State and Federal Regulations	G7011	Standard Specification for Natural and Substitute Fuel Gases
6	State and Federal Regulations	G7314	Steel Pipe - Selection
6	State and Federal Regulations	G7316	Identification of Steel Pipe and Butt Weld Fittings
6	State and Federal Regulations	G7321	Steel Butt-Weld Fittings - Selection Guide
6	State and Federal Regulations	G7350	Casing Assemblies - Steel Carrier Pipe
6	State and Federal Regulations	G7351	Wear Pads and Bands for Steel Gas Piping
6	State and Federal Regulations	G7353	Branch Connection, Steel - Selection Guide
6	State and Federal Regulations	G7361	Pipeline Testing Requirements
6	State and Federal Regulations	G7362	Strength Testing - Pipelines and Facilities
6	State and Federal Regulations	G7365	Pneumatic Test Requirement for Pipelines Operating Above 60 PSIG



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
6	State and Federal Regulations	G7369	Hydrostatic Test Requirements
6	State and Federal Regulations	G7371	Repair of Defects in Steel Transmission Piping
6	State and Federal Regulations	G7375	Approved Protective Coatings for Below Ground Corrosion Control
6	State and Federal Regulations	G7376	Field Tape Wrapping Requirements
6	State and Federal Regulations	G7377	Field Application of Fusion Bonded Epoxy to Joints and Field Repair of Fusion Bonded Epoxy Coating
6	State and Federal Regulations	G7378	External Surface Preparation and Field-Applied Coating for Above Ground Pipe Spans
6	State and Federal Regulations	G7379	External Surface Preparation and Field Applied Coatings for Buried Pipelines
6	State and Federal Regulations	G7380	Field Application of Grease Coating
6	State and Federal Regulations	G7381	External Surface Preparation and Shop-Applied Coatings for Steel Tanks and Vessels
6	State and Federal Regulations	G7383	Surface Preparation and Field-Applied Coating for Interior of Storage Tanks and Vessels
6	State and Federal Regulations	G7384	External Surface Preparation and Field-Applied Coatings for New and Old Steel in a Marine Environment
6	State and Federal Regulations	G7385	External Surface Preparation and Shop-Applied Coating for High Corrosion Service Areas



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
6	State and Federal Regulations	G7408	Hand Backfill and Compaction Method
6	State and Federal Regulations	G7453	General Excavation Requirements
6	State and Federal Regulations	G7505	General Procedures for Field As-Builts
6	State and Federal Regulations	G7603	Valve Usage and Selection Guide
6	State and Federal Regulations	G7615	Replacement and Raising of Valve Boxes
6	State and Federal Regulations	G7631	Main Line Ball Valve Assembly - Classes 150 & 300 2 Inch, 3 Inch, and 4 Inch
6	State and Federal Regulations	G7635	Main Line Ball Valve Assembly - Classes 150 & 300 6 Inch and 8 Inch
6	State and Federal Regulations	G7637	Line Valve Assembly 10 Inch
6	State and Federal Regulations	G7643	Excess Flow Valve (EFV) - Installation and Operation
6	State and Federal Regulations	G7649	2 Inch Ball Valve Assembly for Hot Taps
6	State and Federal Regulations	G7665	Flanges - Selection, Torque and Installation Requirements
6	State and Federal Regulations	G7803	General Welding Requirements



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
6	State and Federal Regulations	G7805	Welding Field Guide
6	State and Federal Regulations	G7809	Qualification and Re-Qualification of Welders
6	State and Federal Regulations	G7815	Inspection and Testing of Welds on Company Steel Piping
6	State and Federal Regulations	G7815	Inspection and Testing of Welds on Company Steel Piping
6	State and Federal Regulations	G7817	Radiographic Procedures and Radiographer Qualifications
6	State and Federal Regulations	G7821	Angles and Bends in Steel Piping
6	State and Federal Regulations	G7909	General Purging Procedures
6	State and Federal Regulations	G7955	4 Inch Ball Valve Assembly for Hot Tapping to 800 PSIG
6	State and Federal Regulations	G7963	A 2-Inch Tapping Assembly for Hot Tapping 400 and 800 PSIG Pipelines
6	State and Federal Regulations	G8001	Criteria for Cathodic Protection
6	State and Federal Regulations	G8002	100mV Polarization Criteria
6	State and Federal Regulations	G8003	Design and Application of Cathodic Protection



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
6	State and Federal Regulations	G8009	Electrical Test Stations & Bond Assembly
6	State and Federal Regulations	G8013	Cathodic Protection - Mixed Piping Systems
6	State and Federal Regulations	G8014	Magnesium Anodes for Corrosion Control
6	State and Federal Regulations	G8019	Operation and Maintenance of Cathodic Protection Facilities
6	State and Federal Regulations	G8021	Cathodic Protection - Inspection of Exposed Pipe
6	State and Federal Regulations	G8022	System Protection - Inspection of Meter Set Assemblies
6	State and Federal Regulations	G8023	MAOP Evaluation of Corroded Pipe
6	State and Federal Regulations	G8025	Internal Corrosion Management Plan
6	State and Federal Regulations	G8026	External and Internal Transmission Pipeline Inspection
6	State and Federal Regulations	G8027	Cathodic Protection - Electrical Isolation
6	State and Federal Regulations	G8027	Cathodic Protection - Electrical Isolation
6	State and Federal Regulations	G8027	Cathodic Protection - Electrical Isolation



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
6	State and Federal Regulations	G8029	Record Keeping - Corrosion Control
6	State and Federal Regulations	G8031	Internal Corrosion Design and Construction Considerations
6	State and Federal Regulations	G8035	Interference - Stray Electrical Current
6	State and Federal Regulations	G8115	Changing Maximum Allowable Operating Pressure and Maximum Operating Pressure
6	State and Federal Regulations	G8116	Pipeline and Related Definitions
6	State and Federal Regulations	G8121	Location Class - Determination and Changes
6	State and Federal Regulations	G8122	Prevention of Damage to Company Facilities
6	State and Federal Regulations	G8123	Underground Service Alert and Temporary Marking
6	State and Federal Regulations	G8129	Odorization
6	State and Federal Regulations	G8135	Leakage Priority Classification
6	State and Federal Regulations	G8140	Pipeline Patrol
6	State and Federal Regulations	G8141	Pipeline Markers



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
6	State and Federal Regulations	G8142	Inspection of Pipelines on Bridges, Spans and in Unstable Earth
6	State and Federal Regulations	G8145	Leakage Surveys - Transmission Lines
6	State and Federal Regulations	G8147	Planning Shutdowns On High Pressure Gas Facilities
6	State and Federal Regulations	G8159	Distribution Pressure Regulating and Monitoring Station & Vault - Inspection, Maintenance and Settings
6	State and Federal Regulations	G8168	Immediate Repair Conditions - Transmission Pipelines
6	State and Federal Regulations	G8169	Prevention of Accidental Ignition
6	State and Federal Regulations	G8172	Data Gathering and Integration
6	State and Federal Regulations	G8184	Bellhole Inspection Requirements
6	State and Federal Regulations	G8185	Casing Wax Fill
6	State and Federal Regulations	G8202	Field Guidelines - Emergency Incident Distribution / Customer Service
6	State and Federal Regulations	G8204	Emergency Response Procedures for Gas Incidents - Distribution
6	State and Federal Regulations	G8205	Emergency Response Procedures for Gas Incidents - Transmission



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
6	State and Federal Regulations	G8206	Emergency Materials List for Gas Incidents
6	State and Federal Regulations	G8208	Natural Disaster or Major Emergency - Employee Instructions
6	State and Federal Regulations	G8210	Contact with Fire and Police Departments and Public Agencies
6	State and Federal Regulations	G8215	Field Services (Distribution) On-duty Supervisor Responsibilities
6	State and Federal Regulations	G8216	Incident Command System (ICS) for Emergency Incidents
6	State and Federal Regulations	G8221	Gas Incident Notification
6	State and Federal Regulations	G8223	Pipeline Safety Reports to CPUC and DOT
6	State and Federal Regulations	G8225	Investigation of Gas Incidents
6	State and Federal Regulations	G8229	Region Reports of Safety-Related Pipeline Conditions
6	State and Federal Regulations	G8231	Public Awareness Program
6	State and Federal Regulations	G8237	Restoration of Service Procedures
6	State and Federal Regulations	G8241	Responsibilities for Maintenance of the Downtown San Diego Emergency Curtailment Map



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
6	State and Federal Regulations	G8320	Working in Flammable Atmospheres
6	State and Federal Regulations	G8365	Respiratory Protection Program
6	State and Federal Regulations	G8603	Designs for Pipelines in Bridges
6	State and Federal Regulations	G8605	Request for Pipeline Design Assistance
6	State and Federal Regulations	G8719	Hydrostatic Test Water Disposal
6	State and Federal Regulations	G9103	Pressure Terminology and Establishment of Pressure Levels for Piping
6	State and Federal Regulations	G9105	Design Factors for Steel Piping Systems
6	State and Federal Regulations	G9109	Electrical Facilities in Hazardous Areas
6	State and Federal Regulations	T7303	General Construction Requirements - Steel Transmission System
6	State and Federal Regulations	T7320	Requirements for Designing Pipelines to Accommodate Smart Pigs
6	State and Federal Regulations	T7375	Repair of Transmission Pipelines
6	State and Federal Regulations	T7381	Abandonment, Conversion and Reinstatement of Transmission Pipelines



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
6	State and Federal Regulations	T7413	Minimum Trench Requirements for Transmission Pipelines
6	State and Federal Regulations	T8129	Supplemental Odorization of Gas at Border Stations
6	State and Federal Regulations	T8147	Compressor Stations - Operation and Maintenance
6	State and Federal Regulations	T8148	Testing and Maintaining Compressor Station Emergency Shutdown Systems
6	State and Federal Regulations	T8149	Compressor Station Relief Valves
6	State and Federal Regulations	T8151	Hold-Out Procedures for Equipment Isolation
6	State and Federal Regulations	T8155	Fire Prevention and Protection - Transmission
6	State and Federal Regulations	T8165	Gas Transmission System Relief Valves
6	State and Federal Regulations	T8166	Identification Numbers for Pipeline Valves - Transmission
6	State and Federal Regulations	T8167	Valve Inspection and Maintenance - Transmission
6	State and Federal Regulations	T8171	Abnormal Operations - Transmission
6	State and Federal Regulations	G8113	Operator Qualification Program



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
6	State and Federal Regulations	G9111	Economic Evaluation for Pipeline Designs in High Consequence Areas
6	State and Federal Regulations	TIMP.17	Performance Plan
7	Continuing Operations	C5260	Locking and Blanking of a Gas Meter Set
7	Continuing Operations	C5370	Large Meters - Houeline Testing
7	Continuing Operations	C5390	Gas Curb Meter and Atmospheric Corrosion Inspection and Maintenance
7	Continuing Operations	C5460	Fumigation Shut-Off and Back-On Orders
7	Continuing Operations	C5480	Purging Service Risers
7	Continuing Operations	C5490	Working in the Presence of Escaping Gas
7	Continuing Operations	C5510	Leak Investigation
7	Continuing Operations	C5520	Houeline Leakage on Master-Metered Systems
7	Continuing Operations	C5540	Setting Gas Meters
7	Continuing Operations	C5580	Re-Insulating Gas Meters
7	Continuing Operations	C5660	Purging Gas Meters and Customer Houelines



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
7	Continuing Operations	C5665	Odor Conditioning of New Customer-Owned Pipelines - Size (AC630) Meters and Larger
7	Continuing Operations	C5680	GMI GT Instrument Operation and Maintenance Procedure
7	Continuing Operations	C5700	Service Policy
7	Continuing Operations	CSSD071220	Sempra Energy Foundation's 2007 Fire Relief Fund Information Handout
7	Continuing Operations	D7110	Abandonment of Gas Service and Gas Light Tap Assemblies
7	Continuing Operations	D7117	Installing and Turn on Responsibility of Gas Meters
7	Continuing Operations	D7119	Earthquake Valves on Meter Sets
7	Continuing Operations	D7121	Locking and Blanking of Gas Meter Sets
7	Continuing Operations	D7213	Polyethylene Heater - Temperature Measurement and Adjustment
7	Continuing Operations	D7214	Joining Polyethylene with Mechanical Fittings
7	Continuing Operations	D7216	Mechanical Tapping Tee Inspection
7	Continuing Operations	D7221	Socket Fusion for Polyethylene
7	Continuing Operations	D7222	PE Saddle Fusions



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
7	Continuing Operations	D7225	Tapping Polyethylene Pipelines
7	Continuing Operations	D7226	Magic Box - 2"-4"
7	Continuing Operations	D7227	Butt Fusion Polyethylene
7	Continuing Operations	D7241	Direct Burial of Polyethylene
7	Continuing Operations	D7252	Service Head Adapter - 3/4 INCH
7	Continuing Operations	D7265	Pneumatic Test Requirements for Pipelines Operating at 60 PSIG or Less
7	Continuing Operations	D7275	Repair of Polyethylene
7	Continuing Operations	D7279	Squeezing Polyethylene
7	Continuing Operations	D7283	RFS of Polyethylene
7	Continuing Operations	D7293	Qualification and Re-Qualification Requirements for Polyethylene Fitters
7	Continuing Operations	D7325	Service Punch Tee
7	Continuing Operations	D7341	Raising or Repairing 3/4 Inch and 1 Inch Steel Risers
7	Continuing Operations	D7371	Leak Repair Methods for Steel Distribution Pipelines



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
7	Continuing Operations	D7373	Pipe Cold Squeezer Huskie PS-45
7	Continuing Operations	D7381	Abandonment or Inactivation of Gas Distribution Pipelines
7	Continuing Operations	D7382	Requirements for Hot/Cold Squeezing of Steel Pipelines
7	Continuing Operations	D7383	Steel Pipe Squeezer 6" through 12"
7	Continuing Operations	D7385	RFS of ¾ Inch and 1 Inch Service Nipples on Mains to be Upgraded
7	Continuing Operations	D7403	Underground Distribution (UD) Trenches and Utility Positioning
7	Continuing Operations	D7411	Trench Excavation Requirements for 60-400 PSIG MAOP Distribution Mains
7	Continuing Operations	D7705	Regulator Station Installation Procedures
7	Continuing Operations	D7709	Services of Regulator Technicians for Gas Construction - Distribution
7	Continuing Operations	D7905	Minimum Requirements for Pressure Control Operations on Distribution Pipeline Systems
7	Continuing Operations	D7907	Qualification Requirements Distribution Pressure Control
7	Continuing Operations	D7911	Purging of Distribution Gas Lines of 60 PSIG
7	Continuing Operations	D7912	Purging and Locking Service Risers



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
7	Continuing Operations	D7919	Changing a 3/4 Inch and 1 Inch Service Valve
7	Continuing Operations	D7927	Mueller 'D-4' and 'D-5' Tapping Machine Instructions
7	Continuing Operations	D7929	Mueller Line Stopper Unit No. 1
7	Continuing Operations	D7931	Mueller 'E-4' and 'E-5' Tapping Machine
7	Continuing Operations	D7933	Stopping Off Procedure for Service Nipples
7	Continuing Operations	D7955	Pressure Control - 2" Top Half Fitting
7	Continuing Operations	D7955	Pressure Control - 2" Top Half Fitting
7	Continuing Operations	D7956	Pressure Control - 3" and 4" Top Half Fitting
7	Continuing Operations	D7957	2-Inch Service Tee for Gas Mains 60 psig or Less
7	Continuing Operations	D8145	Gas Leakage Surveys - Distribution
7	Continuing Operations	D8164	Pressure Monitoring of Distribution Systems
7	Continuing Operations	D8167	Valve Inspection and Maintenance - Distribution
7	Continuing Operations	D8305	Trenchless Construction Methods



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
7	Continuing Operations	G7345	Application of Mueller and TDW M Stop Control Fittings
7	Continuing Operations	G7355	Holiday Detector Operation
7	Continuing Operations	G7361	Pipeline Testing Requirements
7	Continuing Operations	G7365	Pneumatic Test Requirement for Pipelines Operating Above 60 PSIG
7	Continuing Operations	G7369	Hydrostatic Test Requirements
7	Continuing Operations	G7371	Repair of Defects in Steel Transmission Piping
7	Continuing Operations	G7372	Repair of Defects on an Operating Pipeline by Grinding
7	Continuing Operations	G7373	Repair of Non-Leaking Defects on an Operating Pipeline with a Band or Sleeve
7	Continuing Operations	G7374	Repair of Defects on Operating Pipelines Using Abandon Nipple
7	Continuing Operations	G7375	Approved Protective Coatings for Below Ground Corrosion Control
7	Continuing Operations	G7376	Field Tape Wrapping Requirements
7	Continuing Operations	G7377	Field Application of Fusion Bonded Epoxy to Joints and Field Repair of Fusion Bonded Epoxy Coating
7	Continuing Operations	G7378	External Surface Preparation and Field-Applied Coating for Above Ground Pipe Spans



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
7	Continuing Operations	G7379	External Surface Preparation and Field Applied Coatings for Buried Pipelines
7	Continuing Operations	G7380	Field Application of Grease Coating
7	Continuing Operations	G7382	Surface Preparation and Shop Applied Coating for General Steel (Primer and Topcoat)
7	Continuing Operations	G7384	External Surface Preparation and Field-Applied Coatings for New and Old Steel in a Marine Environment
7	Continuing Operations	G7385	External Surface Preparation and Shop-Applied Coating for High Corrosion Service Areas
7	Continuing Operations	G7386	Internal Surface Preparation and Shop-Applied Coating for Drip Legs
7	Continuing Operations	G7408	Hand Backfill and Compaction Method
7	Continuing Operations	G7409	Imported or Native Backfill
7	Continuing Operations	G7410	Slurry Backfill
7	Continuing Operations	G7605	Valving Responsibility - Distribution
7	Continuing Operations	G7605	Valving Responsibility - Distribution
7	Continuing Operations	G7615	Replacement and Raising of Valve Boxes
7	Continuing Operations	G7636	Lubrication of Plug Vavles



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
7	Continuing Operations	G7636	Lubrication of Plug Vavles
7	Continuing Operations	G7643	Excess Flow Valve (EFV) - Installation and Operation
7	Continuing Operations	G7803	General Welding Requirements
7	Continuing Operations	G7805	Welding Field Guide
7	Continuing Operations	G7815	Inspection and Testing of Welds on Company Steel Piping
7	Continuing Operations	G7909	General Purging Procedures
7	Continuing Operations	G7951	Tapping Through 4, 6 and 8 Inch Ball Valves
7	Continuing Operations	G7959	Tapping Through a 2 Inch Ball Valve
7	Continuing Operations	G7967	Tapping Through a 2 Inch Mueller PCF With a "DH-5" Drilling Machine on Mains Exceeding 60 PSIG
7	Continuing Operations	G7971	Stopping Off a 2 Inch Mueller PCF with a "D-5" Drilling Machine on Mains Exeeding 60 PSIG
7	Continuing Operations	G7975	Pressure Control Machines - TD Williamson 1200 Unit
7	Continuing Operations	G7979	Operation of Line Stopper Units 3SW-500 and 4SW-500 on 4 Inch Through 12 Inch PCF's
7	Continuing Operations	G8002	100mV Polarization Criteria



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
7	Continuing Operations	G8003	Design and Application of Cathodic Protection
7	Continuing Operations	G8003	Design and Application of Cathodic Protection
7	Continuing Operations	G8006	Connect Copper Wire To Steel Pipe - Pin Brazing, Thermite Welding and Braze Welding Processes
7	Continuing Operations	G8009	Electrical Test Stations & Bond Assembly
7	Continuing Operations	G8013	Cathodic Protection - Mixed Piping Systems
7	Continuing Operations	G8014	Magnesium Anodes for Corrosion Control
7	Continuing Operations	G8015	Selection and Installation of Rectifiers and Impressed Current Anodes
7	Continuing Operations	G8019	Operation and Maintenance of Cathodic Protection Facilities
7	Continuing Operations	G8021	Cathodic Protection - Inspection of Exposed Pipe
7	Continuing Operations	G8022	System Protection - Inspection of Meter Set Assemblies
7	Continuing Operations	G8023	MAOP Evaluation of Corroded Pipe
7	Continuing Operations	G8025	Internal Corrosion Management Plan
7	Continuing Operations	G8026	External and Internal Transmission Pipeline Inspection



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
7	Continuing Operations	G8027	Cathodic Protection - Electrical Isolation
7	Continuing Operations	G8035	Interference - Stray Electrical Current
7	Continuing Operations	G8037	Induced High Voltage Alternating Current (HVAC) on Pipelines
7	Continuing Operations	G8043	Corrosion Control of Underground Hazardous Substance Storage Tanks
7	Continuing Operations	G8107	Aboveground Survey Plan
7	Continuing Operations	G8108	Alternating Current Attenuation Survey
7	Continuing Operations	G8109	Close Interval Survey
7	Continuing Operations	G8113	Operator Qualification Program
7	Continuing Operations	G8113	Operator Qualification Program
7	Continuing Operations	G8122	Prevention of Damage to Company Facilities
7	Continuing Operations	G8129	Odorization
7	Continuing Operations	G8130	Operation of Odorometer and Odorator
7	Continuing Operations	G8133	ODORIZATION-YZ NJEX Odorant Injection System Maintenance



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
7	Continuing Operations	G8135	Leakage Priority Classification
7	Continuing Operations	G8137	Underground Leak Investigation
7	Continuing Operations	G8137	Underground Leak Investigation
7	Continuing Operations	G8138	Optical Methane Detector Operation and Maintenance
7	Continuing Operations	G8139	Company Facility Underground Odor Assessment
7	Continuing Operations	G8139	Company Facility Underground Odor Assessment
7	Continuing Operations	G8140	Pipeline Patrol
7	Continuing Operations	G8141	Pipeline Markers
7	Continuing Operations	G8142	Inspection of Pipelines on Bridges, Spans and in Unstable Earth
7	Continuing Operations	G8145	Leakage Surveys - Transmission Lines
7	Continuing Operations	G8159	Distribution Pressure Regulating and Monitoring Station & Vault - Inspection, Maintenance and Settings
7	Continuing Operations	G8168	Immediate Repair Conditions - Transmission Pipelines
7	Continuing Operations	G8184	Bellhole Inspection Requirements



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
7	Continuing Operations	G8185	Casing Wax Fill
7	Continuing Operations	G8189	Heath Detecto-Pak® III Flame Ionization Gas Leak Detection Unit
7	Continuing Operations	G8192	RMLD - Remote Methane Leak Detector
7	Continuing Operations	G8202	Field Guidelines - Emergency Incident Distribution / Customer Service
7	Continuing Operations	G8204	Emergency Response Procedures for Gas Incidents - Distribution
7	Continuing Operations	G8205	Emergency Response Procedures for Gas Incidents - Transmission
7	Continuing Operations	G8215	Field Services (Distribution) On-duty Supervisor Responsibilities
7	Continuing Operations	T7375	Repair of Transmission Pipelines
7	Continuing Operations	T7381	Abandonment, Conversion and Reinstatement of Transmission Pipelines
7	Continuing Operations	T7413	Minimum Trench Requirements for Transmission Pipelines
7	Continuing Operations	T8148	Testing and Maintaining Compressor Station Emergency Shutdown Systems
7	Continuing Operations	T8149	Compressor Station Relief Valves
7	Continuing Operations	T8165	Gas Transmission System Relief Valves



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
7	Continuing Operations	T8167	Valve Inspection and Maintenance - Transmission
7	Continuing Operations	ESHSD-0000	Phone Numbers
7	Continuing Operations	ESHSD-1100	Rule 1100 - Injury and Illness Prevention Program
7	Continuing Operations	ESHSD-1200	Rule 1200 - General Safety and Health Rules
7	Continuing Operations	ESHSD-1300	Motor Vehicle Operations
7	Continuing Operations	ESHSD-1400	Office Safety
7	Continuing Operations	ESHSD-1500	Fire Prevention
7	Continuing Operations	ESHSD-1600	Emergency Action Plan (EAP)
7	Continuing Operations	ESHSD-1700	Workplace Security
7	Continuing Operations	ESHSD-1800	Incident and Injury Reporting
7	Continuing Operations	ESHSD-2100	General Construction, Maintenance and Operation Safety Rules
7	Continuing Operations	ESHSD-2200	Aerial Lift Equipment
7	Continuing Operations	ESHSD-3100	Electric - General Safety Rules



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
7	Continuing Operations	ESHSD-3300	Electric Substation and Maintenance
7	Continuing Operations	ESHSD-3400	Overhead Electric - Distribution and Transmission
7	Continuing Operations	ESHSD-3600	Underground Electric - Distribution and Transmission
7	Continuing Operations	ESHSD-3800	Electrical Safety Hazards
7	Continuing Operations	ESHSD-4100	Gas Distribution and Transmission
7	Continuing Operations	ESHSD-9999	Definitions
7	Continuing Operations	ESHSD-1200	Rule 1200 - General Safety and Health Rules
7	Continuing Operations	ESHSD-2100	General Construction, Maintenance and Operation Safety Rules
7	Continuing Operations	3222SD	Design Data Sheet (DDS)
7	Continuing Operations	D7204	PE Fusion Card
7	Continuing Operations	D7255	Casing Assemblies - Plastic Carrier Pipe
7	Continuing Operations	D7465	Prefabricated Vaults - Design and Selection Guide
7	Continuing Operations	D7711	Regulator Station Design and Planning



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
7	Continuing Operations	D7715	Control Piping
7	Continuing Operations	D8189	Temporary LNG Facility
7	Continuing Operations	G7013	Qualification of New Construction Contractors
7	Continuing Operations	G7314	Steel Pipe - Selection
7	Continuing Operations	G7316	Identification of Steel Pipe and Butt Weld Fittings
7	Continuing Operations	G7321	Steel Butt-Weld Fittings - Selection Guide
7	Continuing Operations	G7350	Casing Assemblies - Steel Carrier Pipe
7	Continuing Operations	G7351	Wear Pads and Bands for Steel Gas Piping
7	Continuing Operations	G7353	Branch Connection, Steel - Selection Guide
7	Continuing Operations	G7603	Valve Usage and Selection Guide
7	Continuing Operations	G7665	Flanges - Selection, Torque and Installation Requirements
7	Continuing Operations	G7809	Qualification and Re-Qualification of Welders
7	Continuing Operations	G7817	Radiographic Procedures and Radiographer Qualifications



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
7	Continuing Operations	G7821	Angles and Bends in Steel Piping
7	Continuing Operations	G8029	Record Keeping - Corrosion Control
7	Continuing Operations	G8031	Internal Corrosion Design and Construction Considerations
7	Continuing Operations	G8115	Changing Maximum Allowable Operating Pressure and Maximum Operating Pressure
7	Continuing Operations	G8116	Pipeline and Related Definitions
7	Continuing Operations	G8121	Location Class - Determination and Changes
7	Continuing Operations	G8172	Data Gathering and Integration
7	Continuing Operations	G8222	Pipeline Incident Reports to CPUC and DOT
7	Continuing Operations	G8223	Pipeline Safety Reports to CPUC and DOT
7	Continuing Operations	G8229	Region Reports of Safety-Related Pipeline Conditions
7	Continuing Operations	PA-1	Public Awareness Program
7	Continuing Operations	G8603	Designs for Pipelines in Bridges
7	Continuing Operations	G8605	Request for Pipeline Design Assistance



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Chapter Number	Chapter Title	Policy	Policy Title
7	Continuing Operations	G8717	Industrial Waste Discharge to Sanitary Sewer
7	Continuing Operations	G8719	Hydrostatic Test Water Disposal
7	Continuing Operations	G8736	Proposition 65 Compliance
7	Continuing Operations	G9103	Pressure Terminology and Establishment of Pressure Levels for Piping
7	Continuing Operations	G9105	Design Factors for Steel Piping Systems
7	Continuing Operations	G9109	Electrical Facilities in Hazardous Areas
7	Continuing Operations	T7303	General Construction Requirements - Steel Transmission System
7	Continuing Operations	T7320	Requirements for Designing Pipelines to Accommodate Smart Pigs
7	Continuing Operations	T8147	Compressor Stations - Operation and Maintenance
7	Continuing Operations	C5710	Back Flow Protection - Regulators and Check Valves

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

1.3. Policy Document – Safety Plan Matrix

Pipeline Safety Plan Chapter					
(See 1.3. "List of Policy Documents By Chapter" for the Policy Title)					
Policy	Title	4	5	6	7
190SD	Operator Qualification Task Change Communication	X		X	
2110SD	Quality Assurance for Gas Standards Related to Integrity Management Program	X			
2111SD	Management of Change - Request & Approval	X			
2112SD	Pipeline Database Update	X			
3084SD	Corrosion Tests General Data Sheet	X			
3222SD	Design Data Sheet (DDS)	X		X	X
3506SD	Notice of Shutdown / Operational Deviation	X			
4090SD	100mV Polarization Form	X			
4091SD	Wax Casing Data Collection Form	X			
677-1SD	Pipeline Condition and Maintenance Report	X			
76-72	Odorant - 50/50 TBM/THT	X			
76-73	Thiophane Odorant	X			
ACF	Assessment Completion Form	X			
C5050	Order Priority	X	X	X	
C5140	Shutting-Off Gas Meters	X			
C5150	Pardon the Interruption		X		
C5160	Gas Meter Turn-On Procedure	X		X	
C5190	Emergency Response Procedures for Gas Incidents	X	X	X	
C5200	Restoration of Service Due to Gas Outage	X	X	X	
C5260	Locking and Blanking of a Gas Meter Set	X		X	X
C5370	Large Meters - Houseline Testing				X
C5390	Gas Curb Meter and Atmospheric Corrosion Inspection and Maintenance	X		X	X
C5450	Pressure Regulation - Residential and Commercial	X		X	
C5460	Fumigation Shut-Off and Back-On Orders				X
C5480	Purging Service Risers	X		X	X
C5490	Working in the Presence of Escaping Gas	X	X	X	X
C5500	Reportable Gas Incidents	X	X	X	



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Pipeline Safety Plan Chapter					
(See 1.3. "List of Policy Documents By Chapter" for the Policy Title)					
Policy	Title	4	5	6	7
C5510	Leak Investigation	X	X	X	X
C5520	Houeline Leakage on Master-Metered Systems	X		X	X
C5540	Setting Gas Meters				X
C5580	Re-Insulating Gas Meters				X
C5630	Power Outage Notification		X		
C5640	Verify Customer Generator Operation (VGEN)		X		
C5660	Purging Gas Meters and Customer Houelines	X		X	X
C5665	Odor Conditioning of New Customer-Owned Pipelines - Size (AC630) Meters and Larger				X
C5680	GMI GT Instrument Operation and Maintenance Procedure				X
C5700	Service Policy				X
C5710	Back Flow Protection - Regulators and Check Valves			X	X
CRMP1	Control Room Management Plan	X		X	
CRMP6	Gas Control Management of Change			X	
CRMP6SD	Gas Control Management of Change	X		X	
CSSD071220	Sempra Energy Foundation's 2007 Fire Relief Fund Information Handout				X
D7103	Gas Meter Location	X		X	
D7107	Free Standing Header Support	X		X	
D7109	Gas Service Location	X		X	
D7110	Abandonment of Gas Service and Gas Light Tap Assemblies	X		X	X
D7113	Evaluation and Disposition of Inactive Services	X		X	
D7115	Barricades for Gas Meter Sets	X		X	
D7117	Installing and Turn on Responsibility of Gas Meters	X		X	X
D7119	Earthquake Valves on Meter Sets				X
D7121	Locking and Blanking of Gas Meter Sets	X		X	X
D7123	Service Regulator Vent Extensions	X		X	
D7125	Service Regulators in Curb Meter Boxes	X		X	

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Pipeline Safety Plan Chapter					
(See 1.3. "List of Policy Documents By Chapter" for the Policy Title)					
Policy	Title	4	5	6	7
D7127	Curb Meter Box Excavation and Riser Replacement	X		X	
D7203	Polyethylene Quick Reference	X		X	
D7204	PE Fusion Card			X	X
D7211	Handling and Storage of Polyethylene Material	X		X	
D7213	Polyethylene Heater - Temperature Measurement and Adjustment	X			X
D7214	Joining Polyethylene with Mechanical Fittings			X	X
D7216	Mechanical Tapping Tee Inspection				X
D7221	Socket Fusion for Polyethylene	X		X	X
D7222	PE Saddle Fusions	X		X	X
D7225	Tapping Polyethylene Pipelines	X		X	X
D7226	Magic Box - 2"-4"	X			X
D7227	Butt Fusion Polyethylene	X		X	X
D7233	Electrofusion for Polyethylene			X	
D7237	Transitions : Polyethylene to Steel			X	
D7241	Direct Burial of Polyethylene			X	X
D7247	Service Risers for Polyethylene	X		X	
D7249	Valve Installation for Polyethylene	X		X	
D7252	Service Head Adapter - 3/4 INCH			X	X
D7255	Casing Assemblies - Plastic Carrier Pipe	X		X	X
D7257	Tracer Wire Installation for Polyethylene			X	
D7265	Pneumatic Test Requirements for Pipelines Operating at 60 PSIG or Less	X		X	X
D7275	Repair of Polyethylene	X		X	X
D7279	Squeezing Polyethylene				X
D7283	RFS of Polyethylene	X		X	X
D7293	Qualification and Re-Qualification Requirements for Polyethylene Fitters			X	X
D7303	General Requirements - Steel Distribution System			X	
D7321	Service Connections			X	
D7325	Service Punch Tee	X		X	X
D7341	Raising or Repairing 3/4 Inch and 1 Inch				X

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Pipeline Safety Plan Chapter					
(See 1.3. "List of Policy Documents By Chapter" for the Policy Title)					
Policy	Title	4	5	6	7
	Steel Risers				
D7371	Leak Repair Methods for Steel Distribution Pipelines	X		X	X
D7373	Pipe Cold Squeezer Huskie PS-45				X
D7381	Abandonment or Inactivation of Gas Distribution Pipelines	X		X	X
D7382	Requirements for Hot/Cold Squeezing of Steel Pipelines				X
D7383	Steel Pipe Squeezer 6" through 12"	X			X
D7385	RFS of ¾ Inch and 1 Inch Service Nipples on Mains to be Upgraded				X
D7403	Underground Distribution (UD) Trenches and Utility Positioning			X	X
D7411	Trench Excavation Requirements for 60-400 PSIG MAOP Distribution Mains			X	X
D7412	Excavation Requirements for Trench with Two Distribution Mains			X	
D7427	Standard Gas Main Positions			X	
D7461	Gas Facilities Box (Inside Dimensions 2' X 3')			X	
D7465	Prefabricated Vaults - Design and Selection Guide			X	X
D7705	Regulator Station Installation Procedures				X
D7709	Services of Regulator Technicians for Gas Construction - Distribution				X
D7711	Regulator Station Design and Planning			X	X
D7715	Control Piping			X	X
D7905	Minimum Requirements for Pressure Control Operations on Distribution Pipeline Systems	X		X	X
D7907	Qualification Requirements Distribution Pressure Control				X
D7911	Purging of Distribution Gas Lines of 60 PSIG	X		X	X
D7912	Purging and Locking Service Risers	X		X	X
D7919	Changing a 3/4 Inch and 1 Inch Service Valve				X
D7927	Mueller 'D-4' and 'D-5' Tapping Machine Instructions				X
D7929	Mueller Line Stopper Unit No. 1				X

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Pipeline Safety Plan Chapter					
(See 1.3. "List of Policy Documents By Chapter" for the Policy Title)					
Policy	Title	4	5	6	7
D7931	Mueller 'E-4' and 'E-5' Tapping Machine				X
D7933	Stopping Off Procedure for Service Nipples				X
D7955	Pressure Control - 2" Top Half Fitting				X
D7956	Pressure Control - 3" and 4" Top Half Fitting				X
D7957	2-Inch Service Tee for Gas Mains 60 psig or Less				X
D8145	Gas Leakage Surveys - Distribution	X		X	X
D8146	Replacement Criteria for Distribution Mains	X		X	
D8147	Services - Repair vs. Replace Decisions	X			
D8164	Pressure Monitoring of Distribution Systems	X		X	X
D8167	Valve Inspection and Maintenance - Distribution	X		X	X
D8189	Temporary LNG Facility	X			X
D8305	Trenchless Construction Methods	X		X	X
D8310	Polyethylene Pipe Inserted in Metal Casings			X	
D9102	Gas Mapping and Records	X		X	
D9103	Terms and Definitions			X	
D9131	Design of Polyethylene Services			X	
D9135	Mains: Fittings and Fitting Selection			X	
D9157	Meter Selection and Spacing Requirements	X		X	
D9165	Design of Gas Pipeline in Sloping Terrain	X			
D9183	Excess Flow Valve and Service Pipe Sizing			X	
DIMP1	Introduction	X			
DIMP2	System Knowledge	X			
DIMP3	Threat Identification	X			
DIMP4	Evaluate and Rank Risk	X			
DIMP5	Identify and Implement Measures to Address Risk	X			
DIMP6	Measure Performance, Monitor Results and Evaluate Effectiveness	X			
DIMP7	Quality Assurance Plan	X			
DIMP8	Periodic Evaluation and Improvement	X			
DIMP9	Report Results	X			
DIMPA	Terms, Definitions and Acronyms	X			
DIMPB	Threat Matrix and Data Model	X			

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Pipeline Safety Plan Chapter					
(See 1.3. "List of Policy Documents By Chapter" for the Policy Title)					
Policy	Title	4	5	6	7
DIMPD	ICAM Content	X			
DIMPE	Program's Activity to Address Risk - PAAR	X			
ESHSD-0000	Phone Numbers				X
ESHSD-1100	Rule 1100 - Injury and Illness Prevention Program				X
ESHSD-1200	Rule 1200 - General Safety and Health Rules				X
ESHSD-1300	Motor Vehicle Operations				X
ESHSD-1400	Office Safety				X
ESHSD-1500	Fire Prevention				X
ESHSD-1600	Emergency Action Plan (EAP)				X
ESHSD-1700	Workplace Security				X
ESHSD-1800	Incident and Injury Reporting				X
ESHSD-2100	General Construction, Maintenance and Operation Safety Rules				X
ESHSD-2200	Aerial Lift Equipment				X
ESHSD-3100	Electric - General Safety Rules				X
ESHSD-3300	Electric Substation and Maintenance				X
ESHSD-3400	Overhead Electric - Distribution and Transmission				X
ESHSD-3600	Underground Electric - Distribution and Transmission				X
ESHSD-3800	Electrical Safety Hazards				X
ESHSD-4100	Gas Distribution and Transmission				X
ESHSD-9999	Definitions				X
F17-1	Annual Performance Measures	X			
F4-1	Change of Threat Form	X			
F8-1	Baseline Assessment Plan Revisions Log	X			
G7008	Material Evaluation and Implementation	X			
G7009	Material Specifications and Purchase Descriptions	X			
G7011	Standard Specification for Natural and Substitute Fuel Gases	X		X	
G7013	Qualification of New Construction Contractors	X			X
G7313	Steel Pipe Yield, Design Properties and Design Pressure Tables	X			

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Pipeline Safety Plan Chapter					
(See 1.3. "List of Policy Documents By Chapter" for the Policy Title)					
Policy	Title	4	5	6	7
G7314	Steel Pipe - Selection	X		X	X
G7316	Identification of Steel Pipe and Butt Weld Fittings	X		X	X
G7321	Steel Butt-Weld Fittings - Selection Guide	X		X	X
G7345	Application of Mueller and TDW M Stop Control Fittings				X
G7350	Casing Assemblies - Steel Carrier Pipe	X		X	X
G7351	Wear Pads and Bands for Steel Gas Piping	X		X	X
G7353	Branch Connection, Steel - Selection Guide	X		X	X
G7355	Holiday Detector Operation				X
G7361	Pipeline Testing Requirements	X		X	X
G7362	Strength Testing - Pipelines and Facilities	X		X	
G7365	Pneumatic Test Requirement for Pipelines Operating Above 60 PSIG	X		X	X
G7369	Hydrostatic Test Requirements	X		X	X
G7371	Repair of Defects in Steel Transmission Piping	X		X	X
G7372	Repair of Defects on an Operating Pipeline by Grinding	X			X
G7373	Repair of Non-Leaking Defects on an Operating Pipeline with a Band or Sleeve	X			X
G7374	Repair of Defects on Operating Pipelines Using Abandon Nipple				X
G7375	Approved Protective Coatings for Below Ground Corrosion Control	X		X	X
G7376	Field Tape Wrapping Requirements	X		X	X
G7377	Field Application of Fusion Bonded Epoxy to Joints and Field Repair of Fusion Bonded Epoxy Coating	X		X	X
G7378	External Surface Preparation and Field-Applied Coating for Above Ground Pipe Spans	X		X	X
G7379	External Surface Preparation and Field Applied Coatings for Buried Pipelines	X		X	X
G7380	Field Application of Grease Coating	X		X	X
G7381	External Surface Preparation and Shop-Applied Coatings for Steel Tanks and Vessels	X		X	

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Pipeline Safety Plan Chapter					
(See 1.3. "List of Policy Documents By Chapter" for the Policy Title)					
Policy	Title	4	5	6	7
G7382	Surface Preparation and Shop Applied Coating for General Steel (Primer and Topcoat)	X			X
G7383	Surface Preparation and Field-Applied Coating for Interior of Storage Tanks and Vessels	X		X	
G7384	External Surface Preparation and Field-Applied Coatings for New and Old Steel in a Marine Environment	X		X	X
G7385	External Surface Preparation and Shop-Applied Coating for High Corrosion Service Areas	X		X	X
G7386	Internal Surface Preparation and Shop-Applied Coating for Drip Legs	X			X
G7408	Hand Backfill and Compaction Method			X	X
G7409	Imported or Native Backfill				X
G7410	Slurry Backfill				X
G7451	Prevention of Damage to Subsurface Installations	X			
G7453	General Excavation Requirements			X	
G7505	General Procedures for Field As-Builts			X	
G7507	Map Maintenance Requirements for High Pressure Gas Lines	X			
G7603	Valve Usage and Selection Guide	X		X	X
G7605	Valving Responsibility - Distribution				X
G7615	Replacement and Raising of Valve Boxes			X	X
G7631	Main Line Ball Valve Assembly - Classes 150 & 300 2 Inch, 3 Inch, and 4 Inch			X	
G7635	Main Line Ball Valve Assembly - Classes 150 & 300 6 Inch and 8 Inch			X	
G7636	Lubrication of Plug Vavles				X
G7637	Line Valve Assembly 10 Inch			X	
G7643	Excess Flow Valve (EFV) - Installation and Operation	X		X	X
G7649	2 Inch Ball Valve Assembly for Hot Taps			X	
G7665	Flanges - Selection, Torque and Installation Requirements	X		X	X

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Pipeline Safety Plan Chapter					
(See 1.3. "List of Policy Documents By Chapter" for the Policy Title)					
Policy	Title	4	5	6	7
G7803	General Welding Requirements	X		X	X
G7805	Welding Field Guide	X		X	X
G7809	Qualification and Re-Qualification of Welders	X		X	X
G7815	Inspection and Testing of Welds on Company Steel Piping	X		X	X
G7817	Radiographic Procedures and Radiographer Qualifications			X	X
G7821	Angles and Bends in Steel Piping			X	X
G7909	General Purging Procedures	X		X	X
G7951	Tapping Through 4, 6 and 8 Inch Ball Valves				X
G7955	4 Inch Ball Valve Assembly for Hot Tapping to 800 PSIG			X	
G7959	Tapping Through a 2 Inch Ball Valve				X
G7963	A 2-Inch Tapping Assembly for Hot Tapping 400 and 800 PSIG Pipelines			X	
G7967	Tapping Through a 2 Inch Mueller PCF With a "DH-5" Drilling Machine on Mains Exceeding 60 PSIG				X
G7971	Stopping Off a 2 Inch Mueller PCF with a "D-5" Drilling Machine on Mains Exceeding 60 PSIG				X
G7975	Pressure Control Machines - TD Williamson 1200 Unit				X
G7979	Operation of Line Stopper Units 3SW-500 and 4SW-500 on 4 Inch Through 12 Inch PCF's				X
G8001	Criteria for Cathodic Protection	X		X	
G8002	100mV Polarization Criteria	X		X	X
G8003	Design and Application of Cathodic Protection	X		X	X
G8006	Connect Copper Wire To Steel Pipe - Pin Brazing, Thermite Welding and Braze Welding Processes				X
G8009	Electrical Test Stations & Bond Assembly	X		X	X
G8013	Cathodic Protection - Mixed Piping Systems	X		X	X
G8014	Magnesium Anodes for Corrosion Control	X		X	X

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Pipeline Safety Plan Chapter					
(See 1.3. "List of Policy Documents By Chapter" for the Policy Title)					
Policy	Title	4	5	6	7
G8015	Selection and Installation of Rectifiers and Impressed Current Anodes	X			X
G8019	Operation and Maintenance of Cathodic Protection Facilities	X		X	X
G8021	Cathodic Protection - Inspection of Exposed Pipe	X		X	X
G8022	System Protection - Inspection of Meter Set Assemblies	X		X	X
G8023	MAOP Evaluation of Corroded Pipe	X		X	X
G8024	Measurement of Remaining Wall Thickness	X			
G8025	Internal Corrosion Management Plan	X		X	X
G8026	External and Internal Transmission Pipeline Inspection	X		X	X
G8027	Cathodic Protection - Electrical Isolation	X		X	X
G8029	Record Keeping - Corrosion Control	X		X	X
G8031	Internal Corrosion Design and Construction Considerations	X		X	X
G8035	Interference - Stray Electrical Current	X		X	X
G8037	Induced High Voltage Alternating Current (HVAC) on Pipelines				X
G8041	Cathodic Protection - Instruments and Testing Equipment	X			
G8042	Copper Sulfate Electrode	X			
G8043	Corrosion Control of Underground Hazardous Substance Storage Tanks				X
G8107	Aboveground Survey Plan	X			X
G8108	Alternating Current Attenuation Survey	X			X
G8109	Close Interval Survey	X			X
G8110	Voltage Gradient Survey	X			
G8111	Soil Resistivity Survey	X			
G8112	Inspection of Cased Pipe	X			
G8113	Operator Qualification Program	X		X	X
G8114	Self-Audit Guidelines - Pipeline Integrity Program	X			
G8115	Changing Maximum Allowable Operating Pressure and Maximum Operating Pressure	X		X	X
G8116	Pipeline and Related Definitions	X		X	X

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Pipeline Safety Plan Chapter					
(See 1.3. "List of Policy Documents By Chapter" for the Policy Title)					
Policy	Title	4	5	6	7
G8121	Location Class - Determination and Changes	X		X	X
G8122	Prevention of Damage to Company Facilities	X		X	X
G8123	Underground Service Alert and Temporary Marking	X		X	
G8129	Odorization	X		X	X
G8130	Operation of Odorometer and Odorator				X
G8133	ODORIZATION-YZ NJEX Odorant Injection System Maintenance				X
G8135	Leakage Priority Classification	X		X	X
G8137	Underground Leak Investigation		X		X
G8138	Optical Methane Detector Operation and Maintenance				X
G8139	Company Facility Underground Odor Assessment		X		X
G8140	Pipeline Patrol	X		X	X
G8141	Pipeline Markers	X		X	X
G8142	Inspection of Pipelines on Bridges, Spans and in Unstable Earth	X		X	X
G8145	Leakage Surveys - Transmission Lines	X		X	X
G8147	Planning Shutdowns On High Pressure Gas Facilities	X	X	X	
G8159	Distribution Pressure Regulating and Monitoring Station & Vault - Inspection, Maintenance and Settings	X		X	X
G8160	Pipeline Cleaning Standard	X			
G8161	In-Line Inspection Surveys Standard	X			
G8162	Assessment of Pipeline Integrity Using Guided Wave UT	X			
G8163	In-Line Inspection GPS Control Survey	X			
G8164	Global Positioning System (GPS) Process	X			
G8165	Dry Gas - Internal Corrosion Direct Assessment	X			
G8166	Scheduling Remediation	X			
G8168	Immediate Repair Conditions - Transmission Pipelines	X	X	X	X
G8169	Prevention of Accidental Ignition	X	X	X	

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Pipeline Safety Plan Chapter					
(See 1.3. "List of Policy Documents By Chapter" for the Policy Title)					
Policy	Title	4	5	6	7
G8170	Operations Technology Procedure for HCA Segment Identification	X			
G8171	New and Up-rated Pipelines - CPUC Notification	X			
G8172	Data Gathering and Integration	X	X	X	X
G8173	Threat Identification	X			
G8174	Risk Assessment of High Consequence Areas	X			
G8178	Baseline Assessment Plan	X			
G8179	External Corrosion Direct Assessment Procedure	X			
G8180	In-Line Inspection (ILI) Procedure	X	X		
G8184	Bellhole Inspection Requirements	X		X	X
G8185	Casing Wax Fill	X		X	X
G8186	Preventive and Mitigative Measures	X			
G8187	Continual Evaluation	X			
G8188	Stress Corrosion Cracking Direct Assessment Procedure	X			
G8189	Heath Detecto-Pak® III Flame Ionization Gas Leak Detection Unit				X
G8192	RMLD - Remote Methane Leak Detector				X
G8198	Field Sampling and Analysis of Liquids and Solids/Sludge	X			
G8202	Field Guidelines - Emergency Incident Distribution / Customer Service	X	X	X	X
G8204	Emergency Response Procedures for Gas Incidents - Distribution	X	X	X	X
G8205	Emergency Response Procedures for Gas Incidents - Transmission	X	X	X	X
G8206	Emergency Materials List for Gas Incidents	X	X	X	
G8208	Natural Disaster or Major Emergency - Employee Instructions	X	X	X	
G8210	Contact with Fire and Police Departments and Public Agencies	X	X	X	
G8215	Field Services (Distribution) On-duty Supervisor Responsibilities		X	X	X
G8216	Incident Command System (ICS) for Emergency Incidents	X	X	X	

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Pipeline Safety Plan Chapter					
(See 1.3. "List of Policy Documents By Chapter" for the Policy Title)					
Policy	Title	4	5	6	7
G8221	Gas Incident Notification	X	X	X	
G8222	Pipeline Incident Reports to CPUC and DOT	X	X		X
G8223	Pipeline Safety Reports to CPUC and DOT	X	X	X	X
G8225	Investigation of Gas Incidents	X	X	X	
G8229	Region Reports of Safety-Related Pipeline Conditions	X	X	X	X
G8231	Public Awareness Program	X		X	
G8237	Restoration of Service Procedures	X	X	X	
G8241	Responsibilities for Maintenance of the Downtown San Diego Emergency Curtailment Map	X	X	X	
G8308	Contractor Safety Program	X			
G8320	Working in Flammable Atmospheres	X		X	
G8365	Respiratory Protection Program	X		X	
G8603	Designs for Pipelines in Bridges	X		X	X
G8605	Request for Pipeline Design Assistance	X		X	X
G8704	Environmental Training	X			
G8706	Environmental Inspections, Search Warrants, and Internal Notifications	X			
G8717	Industrial Waste Discharge to Sanitary Sewer				X
G8719	Hydrostatic Test Water Disposal			X	X
G8736	Proposition 65 Compliance		X		X
G9103	Pressure Terminology and Establishment of Pressure Levels for Piping	X		X	X
G9105	Design Factors for Steel Piping Systems	X		X	X
G9109	Electrical Facilities in Hazardous Areas			X	X
G9111	Economic Evaluation for Pipeline Designs in High Consequence Areas	X		X	
PA-1	Public Awareness Program		X		X
QAP-9	IMP Audit Summary Form	X			
SD5153	Pipeline Location Information	X			
T7303	General Construction Requirements - Steel Transmission System			X	X
T7320	Requirements for Designing Pipelines to Accommodate Smart Pigs	X		X	X

NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Pipeline Safety Plan Chapter					
(See 1.3. "List of Policy Documents By Chapter" for the Policy Title)					
Policy	Title	4	5	6	7
T7375	Repair of Transmission Pipelines	X		X	X
T7381	Abandonment, Conversion and Reinstatement of Transmission Pipelines	X		X	X
T7413	Minimum Trench Requirements for Transmission Pipelines	X		X	X
T8105	Control Microsystems SCADAPACK	X			
T8129	Supplemental Odorization of Gas at Border Stations	X		X	
T8144	MAXIMO - Transmission	X			
T8147	Compressor Stations - Operation and Maintenance	X		X	X
T8148	Testing and Maintaining Compressor Station Emergency Shutdown Systems	X		X	X
T8149	Compressor Station Relief Valves	X		X	X
T8151	Hold-Out Procedures for Equipment Isolation	X		X	
T8155	Fire Prevention and Protection - Transmission	X		X	
T8165	Gas Transmission System Relief Valves	X		X	X
T8166	Identification Numbers for Pipeline Valves - Transmission	X		X	
T8167	Valve Inspection and Maintenance - Transmission	X		X	X
T8171	Abnormal Operations - Transmission	X	X	X	
TIMP.0	Table of Contents	X			
TIMP.1	Introduction	X			
TIMP.10	Remediation	X			
TIMP.11	Minimizing Environmental & Safety Risks	X			
TIMP.12	Preventive and Mitigative Measures	X			
TIMP.13	Continual Evaluation	X			
TIMP.14	Management of Change	X			
TIMP.15	Quality Assurance Plan	X			
TIMP.16	Record Keeping	X			
TIMP.17	Performance Plan	X		X	
TIMP.19	Communications Plan	X			
TIMP.20	Regulatory Interaction	X			



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

Pipeline Safety Plan Chapter					
<small>(See 1.3. "List of Policy Documents By Chapter" for the Policy Title)</small>					
Policy	Title	4	5	6	7
TIMP.3	HCA Identification	X			
TIMP.4	Data Gathering and Threat Identification	X			
TIMP.5	Risk Assessment	X			
TIMP.8	Baseline Assessment Plan	X			
TIMP.9	Integrity Assessments	X			
TIMP.A	Terms, Definitions and Acronymns	X			



NATURAL GAS SYSTEM OPERATOR SAFETY PLAN

APPENDIX – SAFETY POLICY DOCUMENTS	SDG&E: SP.A-SD
---	---------------------------

SUMMARY OF DOCUMENT CHANGES & FILING INSTRUCTIONS	
Brief: Initial Publication in response to CPUC Decision 12-04-010	
Circulation Code	Filing Instructions

DOCUMENT PROFILE SUMMARY	
NOTE: Do not make any changes to this table. Data in this table is automatically posted during publication.	
Document Number:	SP.A-SD
Document Title:	Appendix- Safety Policy Documents
Contact Person:	Laurie Perry
Current Revision Date:	12/21/2012
Last Full Review Completed On:	
Document Status:	Active
Document Type:	MANUALS
Category (FCD Only):	
If Merged, Merged to:	
Incoming Materials Inspection Required (MSP only):	
Company:	SoCalGas
Common Document (if applicable):	
Contains OPQUAL Covered Task:	No
Part of SoCalGas O&M Plan (reviewed annually):	No
Part of SDG&E O&M Plan (reviewed annually):	No
O&M 49 CFR Codes & Impacted Sections of Document:	
Part of Transmission IMP (TIMP):	No
TIMP 49 CFR Codes & Impacted Sections:	
Part of Distribution IMP (DIMP):	No
Additional 49 CFR Codes Covered by Document:	
Learning Module (LM) Training Code:	